

**CAUSES OF DEATH
STATISTICS
2007-2009**

LIST OF TABLES

Table Description

	Sample Particulars
Table 1.1	Number of Sample Units & Population Covered under SRS: India, States and Union Territories 2009
Table 1.2	Distribution of Deaths by EAG States & Assam and Other States by Age Group: Comparison of Percentage of Deaths in Verbal autopsy (2007 -2009) and Sample Registration System (SRS-2007 -2009)
	Overall Causes of Death Distribution
Table 1.3A	Distribution of Deaths in India : 2007 -2009 Person
Table 1.3B	Distribution of Deaths in India : 2007 -2009 Male
Table 1.3C	Distribution of Deaths in India : 2007 -2009 Female
	Major Cause Groups
Table 2.1A	Distribution Of Deaths by Major Cause Groups in India 2007 -2009
Table 2.1 B	Distribution Of Deaths by Major Cause Groups in EAG States & Assam and Other States : 2007 -2009
Table 2.1 C	Distribution Of Deaths by Major Cause Groups in Rural and Urban Areas : 2007 -2009
	Deaths by age and gender
Table 2.2A	Distribution Of Deaths by age and gender in India :2007 -2009
Table 2.2B	Distribution Of Deaths by age and gender in EAG States & Assam and Other States : 2007 -2009
Table 2.2C	Distribution Of Deaths by age and gender in Rural and Urban Areas : 2007 -2009
	Top 10 causes All ages
Table 2.3A	Top 10 Causes of Death (all ages) in India: 2007 -2009
Table 2.3B	Top 10 Causes of Death (all ages) in EAG States & Assam and Other States : 2007 -2009
Table 2.3C	Top 10 Causes of Death (all ages) in Rural & Urban Areas : 2007 -2009
	Age <29 days
Table 3.1 A	Top 10 Causes of Death in age below 29 days in India : 2007 -2009
Table 3.1B	Top 10 Causes of Death in age below 29 days in EAG States & Assam and Other States: 2007 -2009
Table 3.1C	Top 10 Causes of Death in age below 29 days in Rural and Urban Areas : 2007 -2009
	Age below 1 year
Table 3.2A	Top 10 Causes of Death in age below 1 year in India : 2007 -2009
Table 3.2B	Top 10 Causes of Death in age below 1 year in EAG States & Assam and Other States: 2007 -2009
Table 3.2C	Top 10 Causes of Death in age below 1 year in Rural and Urban Areas : 2007 -2009
	Age 1-4 years
Table 3.3A	Top 10 Causes of Death in age 1- 4year : in India 2007 -2009
Table 3.3B	Top 10 Causes of Death in age 1- 4year in EAG States & Assam And Other States : 2007 -2009
Table 3.3C	Top 10 Causes of Death in age 1- 4year in Rural & Urban Areas : 2007 -2009
	Age 0-4 years
Table 3.4A	Top 10 Causes of Death in age 0 to 4 years in India : 2007 -2009
Table 3.4B	Top 10 Causes of Death in age 0 to 4 years in EAG States & Assam And Other States : 2007 -2009
Table 3.4C	Top 10 Causes of Death in age 0 to 4 years in Rural & Urban Areas : 2007 -2009
	Age 5-14 years
Table 3.5A	Top 10 Causes of Death in age 5-14 years in India : 2007 -2009
Table 3.5B	Top 10 Causes of Death in age 5-14 years in EAG States & Assam And Other States : 2007 -2009
Table 3.5C	Top 10 Causes of Death in age 5-14 years in Rural & Urban Areas : 2007 -2009
	Age 15- 29 years
Table 3.6A	Top 10 Causes of Death in age 15-29 years in India : 2007 -2009
Table 3.6B	Top 10 Causes of Death in age 15-29 years in EAG States & Assam And Other States : 2007 -2009
Table 3.6C	Top 10 Causes of Death in age 15-29 years in Rural & Urban Areas : 2007 -2009

Table Description

Age 30-69 years

Table 3.7A	Top 10 Causes of Death in age 30-69 years in India : 2007 -2009
Table 3.7B	Top 10 Causes of Death in age 30-69 years in EAG States & Assam And Other States : 2007 -2009
Table 3.7C	Top 10 Causes of Death in age 30-69 years in Rural & Urban Areas : 2007 -2009

Age 70+ years

Table 3.8A	Top 10 Causes of Death in age 70 years and over adults in India : 2007 -2009
Table 3.8B	Top 10 Causes of Death in age 70 years and over adults in EAG States & Assam And Other States : 2007 -2009
Table 3.8C	Top 10 Causes of Death in age 70 years and over adults in Rural & Urban Areas : 2007 -2009

Mortality from Special Conditions

Table 4.1	Proportion of Deaths from Specific medical causes in India : 2007 -2009
Table 4.2	Proportion of Deaths from Specific medical causes in EAG States & Assam And Other States : 2007 -2009
Table 4.3	Proportion of Deaths from Specific medical causes in Rural & Urban Areas : 2007 -2009

Table 5.1	Prevalence of Smoking/Chewing, Alcohol and Vegetarian among Various Causes of Death, Ages 30+ years: 2007-09: INDIA
-----------	---

Top 10 causes All ages- Major Regions

Table 5.1 A	Top 10 Causes of Death (All Ages): 2007 -2009;Major Region- North : (Chandigarh,Delhi,Haryana,Himachal Pradesh, Jammu & Kashmir, Punjab and uttarakhand)
Table 5.1 B	Top 10 Causes of Death (All Ages): 2007 -2009; Major Region- North East : (Arunachal Pradesh,Assam,Manipur,Meghalaya, Mizoram,Nagaland,Sikkim and Tripura)
Table 5.1 C	Top 10 Causes of Death (All Ages): 2007 -2009; Major Region- East : (Bihar, Jharkhand,Orissa and West Bengal)
Table 5.1 D	Top 10 Causes of Death (All Ages as %): 2007 -2009; Major Region- Central : (Chattisgarh,Madhya Pradesh,Rajasthan and Uttar Pradesh)
Table 5.1 E	Top 10 Causes of Death (All Ages as %): 2007 -2009; Major Region- West : (Dadra & Nagar Haveli,Daman & Diu, Goa, Gujarat and Maharashtra)
Table 5.1 F	Top 10 Causes of Death (All Ages): 2007 -2009; Major Region- South : (Andhra Pradesh,Andaman & Nicobar Islands,Karnataka,Kerala,Lakshadweep,Puducherry and Tamil Nadu)

Top 10 causes All ages-Major Regions

Table 5.2A	Distribution of Deaths by Age and Gender, 2007 -2009; Major Region- North : (Chandigarh,Delhi,Haryana,Himachal Pradesh, Jammu & Kashmir, Punjab and uttarakhand)
Table 5.2B	Distribution of Deaths by Age and Gender, 2007 -2009; Major Region- North East : (Arunachal Pradesh,Assam,Manipur,Meghalaya, Mizoram,Nagaland,Sikkim and Tripura)
Table 5.2C	Distribution of Deaths by Age and Gender, 2007 -2009; Major Region- East : (Bihar, Jharkhand,Orissa and West Bengal)
Table 5.2D	Distribution of Deaths by Age and Gender, 2007 -2009; Major Region- Central : (Chattisgarh,Madhya Pradesh,Rajasthan and Uttar Pradesh)
Table 5.2E	Distribution of Deaths by Age and Gender, 2007 -2009; Major Region- West : (Dadra & nagar Haveli,Daman & Diu, Goa, Gujarat and Maharashtra)
Table 5.2F	Distribution of Deaths by Age and Gender, 2007 -2009; Major Region- South : (Andhra Pradesh,Andaman & Nicobar Islands,Karnataka,Kerala,Lakshadweep,Puducherry and Tamil Nadu)

Annexures

Annexure 1	Classification List 2
Annexure 2	Classification List 3
Annexure 3	Classification List 1

**Table 1.1: Number of Sample Units & Population Covered under SRS: India, States and Union Territories
2009**

S.No.	States/UTs	Number of Sample Units			Population Covered (in '000)		
		Total	Rural	Urban	Total	Rural	Urban
	India	7597	4433	3164	7183	5259	1924
	Bigger States						
1	Andhra Pradesh	375	235	140	405	317	88
2	Assam	300	90	210	211	93	119
3	Bihar	330	200	130	358	290	68
4	Chhattisgarh	130	40	90	106	44	62
5	Delhi	200	10	190	162	20	142
6	Gujarat	365	215	150	363	283	80
7	Haryana	210	100	110	212	135	77
8	Jammu & Kashmir	260	150	110	221	172	50
9	Jharkhand	170	60	110	117	62	55
10	Karnataka	480	330	150	439	356	83
11	Kerala	250	150	100	346	282	64
12	Madhya Pradesh	340	220	120	318	245	73
13	Maharashtra	485	250	235	411	277	134
14	Odisha	405	290	115	339	271	67
15	Punjab	250	150	100	245	177	67
16	Rajasthan	350	250	100	335	285	51
17	Tamil Nadu	465	250	215	464	329	135
18	Uttar Pradesh	500	350	150	568	467	100
19	West Bengal	555	310	245	591	429	162
	Smaller States						
1	Arunachal Pradesh	60	45	15	33	22	11
2	Goa	85	43	42	80	56	23
3	Himachal Pradesh	190	140	50	96	69	27
4	Manipur	150	110	40	136	111	25
5	Meghalaya	120	90	30	68	50	17
6	Mizoram	40	20	20	31	18	13
7	Nagaland	45	33	12	37	29	8
8	Sikkim	60	45	15	64	53	11
9	Tripura	80	60	20	111	99	12
10	Uttarakhand	150	100	50	113	83	30
	Union Territories						
1	Andaman & Nicobar Islands	50	34	16	39	29	10
2	Chandigarh	35	5	30	33	10	23
3	Dadra & Nagar Haveli	30	22	8	40	35	5
4	Daman & Diu	20	13	7	28	23	4
5	Lakshadweep	12	6	6	15	10	5
6	Puducherry	50	17	33	47	26	21

Table 1.2 : Distribution of Deaths by EAG States & Assam and Other

Age Group	EAG States & Assam		Other States	
	SRS	VA	SRS	VA
0-4	27.6	24.8	12.6	11.5
5-14	4.1	3.8	1.9	1.7
15-29	7.1	7.3	6.4	6.6
30-34	2.5	2.6	2.8	2.8
35-44	5.9	6.2	7.0	7.1
45-54	7.0	7.4	9.8	9.9
55-69	20.3	21.2	25.5	25.1
70+	25.6	26.7	34.0	35.3

Statement 1.3A - Distribution of Deaths in India : SRS 2007 -2009 Person

CAUSE OF DEATH	FINAL ICD CODES	PERSON	AGE GROUP (% Deaths)							Total
			0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	6312	0.3	2.4	6.6	10.1	8.5	5.6	2.5	4.4
HIV/AIDS	B20-B24,C46,D84,R75	523	0.0	0.3	1.1	2.3	0.5	0.1	0.0	0.4
Diarrhoeal diseases	A00-A09	8698	10.2	13.0	4.4	3.1	2.7	4.5	6.9	6.1
Malaria	B50-B54	3148	2.2	8.0	3.8	2.1	2.0	1.9	1.7	2.2
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	849	0.2	1.7	0.6	0.6	0.4	0.7	0.7	0.6
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04 A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39 I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-	6861	17.7	7.0	1.1	1.0	1.1	2.0	3.0	4.8
Acute bacterial sepsis & severe Infections	M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89 A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25	1429	3.2	1.0	0.5	0.7	0.6	0.6	0.5	1.0
Other infectious and parasitic diseases	B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	3397	5.6	12.3	4.1	3.0	2.0	1.0	0.5	2.4
Maternal conditions	O00-O99,A34,F53	706	0.0	0.0	5.1	1.4	0.1	0.0	0.0	0.5
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96**	9712	41.6	0.2	0.0	0.0	0.0	0.0	0.0	6.8
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	1154	2.5	1.8	0.8	0.6	0.4	0.5	0.3	0.8
Fever of unknown origin	R50	4718	2.5	5.0	2.5	1.8	1.9	3.2	4.7	3.3
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R55	8636	0.1	0.9	4.4	9.4	12.7	9.8	4.2	6.0
Diabetes mellitus	E10-E14	2846	0.0	0.3	0.4	1.1	2.2	3.3	2.7	2.0
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	2094	1.0	3.8	3.7	2.6	1.4	1.3	0.9	1.5
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	29665	0.2	1.5	7.3	18.3	28.8	32.4	25.5	20.8
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91 B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-	11666	0.4	0.5	1.2	2.4	6.2	12.3	13.4	8.2
Digestive diseases	R19,R63,R85,X45,Y15,Y90,Y91 N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30	7467	1.9	7.0	7.4	10.6	9.8	5.7	3.1	5.2
Genito-urinary diseases	R39,R80,R82,R86,R87	3878	0.2	1.4	2.3	3.5	4.6	3.9	2.6	2.7
Congenital anomalies	Q00-Q99 D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11 H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61- M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	1216	4.6	2.1	0.4	0.1	0.0	0.0	0.0	0.9
Other Non-Communicable Diseases	M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	1178	1.1	4.0	0.5	0.5	0.5	0.7	0.8	0.8
Injuries										
Unintentional injuries: Motor Vehicle Accidents	V01-V89	3535	0.3	4.6	11.1	7.3	3.5	1.6	0.5	2.5
Unintentional injuries: Other Than Motor Vehicle Accident	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	7003	3.1	16.6	9.9	6.9	4.2	3.6	4.4	4.9
Intentional injuries: Suicide	X60-X84	3403	0.0	1.6	15.6	7.1	3.0	1.0	0.3	2.4
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36	633	0.1	0.7	2.2	1.5	0.6	0.2	0.1	0.4
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98	186	0.1	0.3	0.8	0.3	0.1	0.1	0.0	0.1
Symptoms, signs and ill-defined conditions										
Ill-defined/ All other symptoms,signs and abnormal clinica	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92 R94,R96**,R98-R99	12017	0.9	2.1	2.3	1.7	1.9	4.3	20.8	8.4
Total		142930	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note: ** R96 - Sudden deaths are in 'perinatal conditions' (when age<1 year),in 'Cardiovascular diseases' (when age>30 year) and else in 'ill-defined conditions'

Statement 1.3B - Distribution of Deaths in India : SRS 2007-2009 Male

CAUSE OF DEATH	FINAL ICD CODES	Male	AGE GROUP (% Deaths)							Total
			0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	4285	0.2	2.1	6.7	11.0	9.5	6.7	3.2	5.3
HIV/AIDS	B20-B24,C46,D84,R75	364	0.0	0.3	1.4	2.4	0.6	0.1	0.0	0.5
Diarrhoeal diseases	A00-A09	4021	8.9	11.0	3.7	2.4	2.1	3.7	6.0	5.0
Malaria	B50-B54	1539	1.9	8.0	3.5	1.8	1.8	1.6	1.5	1.9
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	433	0.2	1.5	0.6	0.6	0.3	0.6	0.6	0.5
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04	3460	16.7	5.9	1.0	0.8	1.1	1.9	3.0	4.3
Acute bacterial sepsis & severe Infections	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	782	3.1	0.8	0.5	0.7	0.5	0.6	0.6	1.0
Other infectious and parasitic diseases	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	1836	5.2	12.6	4.3	2.9	1.8	0.9	0.6	2.3
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96**	5489	44.7	0.1	0.0	0.0	0.0	0.0	0.0	6.8
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	467	2.1	1.7	0.2	0.3	0.3	0.3	0.3	0.6
Fever of unknown origin	R50	2205	2.3	4.5	2.2	1.6	1.7	2.5	4.1	2.7
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59	4594	0.1	0.7	4.1	6.6	9.9	9.0	4.7	5.7
Diabetes mellitus	E10-E14	1533	0.0	0.2	0.3	1.0	1.9	3.0	2.8	1.9
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	1098	1.1	4.0	3.7	2.1	1.1	1.1	0.8	1.4
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	17849	0.2	1.2	7.4	18.9	30.5	33.8	27.2	22.2
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	6894	0.5	0.6	1.0	2.2	5.9	12.7	15.1	8.6
Digestive diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91	5009	1.9	6.8	7.7	12.6	11.8	6.6	3.4	6.2
Genito-urinary diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87	2429	0.2	1.3	2.2	3.2	4.5	4.1	3.2	3.0
Congenital anomalies	Q00-Q99	682	5.0	2.1	0.4	0.1	0.0	0.0	0.0	0.8
Other Non-Communicable Diseases	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	557	1.1	4.0	0.5	0.4	0.2	0.6	0.7	0.7
Injuries										
Unintentional injuries: Motor Vehicle Accidents	V01-V89	2921	0.3	6.0	18.2	9.8	4.4	2.0	0.7	3.6
Unintentional injuries: Other Than Motor Vehicle Accident	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	3910	3.3	20.0	11.2	7.2	4.2	3.4	3.7	4.9
Intentional injuries: Suicide	X60-X84	1960	0.0	1.6	13.1	7.3	3.3	1.1	0.4	2.4
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36	481	0.0	0.6	3.2	1.8	0.8	0.2	0.1	0.6
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98	125	0.1	0.3	0.8	0.4	0.1	0.1	0.0	0.2
Symptoms, signs and ill-defined conditions										
Ill-defined/ All other symptoms, signs and abnormal clinical	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99	5326	1.0	2.1	2.2	1.7	1.6	3.4	17.4	6.6
Total		80249	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note: ** R96 - Sudden deaths are in 'perinatal conditions' (when age<1 year), in 'Cardiovascular diseases' (when age>30 year) and else in 'ill-defined conditions'

Statement 1.3C - Distribution of Deaths in India : SRS 2007 - 2009 Female

CAUSE OF DEATH	FINAL ICD CODES	FEMALE	AGE GROUP (% Deaths)							Total
			0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	2027	0.3	2.6	6.6	8.5	6.6	4.1	1.8	3.2
HIV/AIDS	B20-B24,C46,D84,R75	159	0.0	0.2	0.7	1.9	0.5	0.1	0.0	0.3
Diarrhoeal diseases	A00-A09	4677	11.6	14.9	5.3	4.4	3.9	5.6	7.8	7.5
Malaria	B50-B54	1609	2.4	8.0	4.2	2.8	2.5	2.4	2.0	2.6
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	416	0.3	1.8	0.6	0.7	0.6	0.8	0.7	0.7
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04	3401	18.8	8.1	1.3	1.3	1.2	2.3	3.1	5.4
	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39									
	I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-									
Acute bacterial sepsis & severe Infections	M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	647	3.2	1.3	0.4	0.8	0.7	0.6	0.4	1.0
	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25									
Other infectious and parasitic diseases	B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	1561	6.1	12.0	3.9	3.0	2.2	1.1	0.5	2.5
Maternal conditions	O00-O99,A34,F53	706	0.0	0.0	11.3	4.1	0.2	0.0	0.0	1.1
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96**	4223	38.1	0.2	0.0	0.0	0.0	0.0	0.0	6.7
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	687	3.0	1.9	1.6	1.3	0.7	0.6	0.3	1.1
Fever of unknown origin	R50	2513	2.8	5.5	2.8	2.3	2.4	4.1	5.3	4.0
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R55	4042	0.2	1.1	4.7	14.5	18.5	10.8	3.6	6.4
Diabetes mellitus	E10-E14	1313	0.0	0.3	0.5	1.1	2.8	3.6	2.7	2.1
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	996	0.9	3.5	3.6	3.4	1.9	1.5	1.0	1.6
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	11816	0.2	1.8	7.1	17.0	25.4	30.3	23.8	18.9
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	4772	0.3	0.4	1.5	2.7	6.9	11.7	11.6	7.6
	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-									
Digestive diseases	R19,R63,R85,X45,Y15,Y90,Y91	2458	2.0	7.3	7.1	6.9	5.8	4.4	2.7	3.9
	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30									
Genito-urinary diseases	R39,R80,R82,R86,R87	1449	0.2	1.5	2.3	3.8	4.9	3.5	1.8	2.3
Congenital anomalies	Q00-Q99	534	4.2	2.1	0.4	0.2	0.1	0.0	0.0	0.9
	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11									
Other Non-Communicable Diseases	H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	621	1.0	4.0	0.6	0.7	1.1	0.9	0.9	1.0
Injuries										
Unintentional injuries: Motor Vehicle Accidents	V01-V89	614	0.3	3.3	2.5	2.7	1.7	1.0	0.3	1.0
Unintentional injuries: Other Than Motor Vehicle Accident	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y85	3093	2.9	13.3	8.3	6.4	4.2	3.9	5.1	4.9
Intentional injuries: Suicide	X60-X84	1443	0.0	1.6	18.7	6.7	2.4	0.8	0.2	2.3
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36	152	0.1	0.8	1.1	0.8	0.3	0.1	0.0	0.2
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98	61	0.0	0.3	0.7	0.1	0.0	0.0	0.0	0.1
Symptoms, signs and ill-defined conditions										
	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92									
Ill-defined/ All other symptoms,signs and abnormal clinica	R94,R96**,R98-R99	6691	0.9	2.1	2.4	1.7	2.3	5.7	24.3	10.7
Total		62681	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Note: ** R96 - Sudden deaths are in 'perinatal conditions' (when age<1 year),in 'Cardiovascular diseases' (when age>30 year) and else in 'ill-defined conditions'

Table 2.1A : Distribution of Deaths by Major Cause Groups in India : 2007-2009

Major cause groups	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
Communicable, maternal, perinatal and nutritional conditions	24881	31.0	22626	36.1	47507	33.2
Non-communicable diseases	40645	50.6	28001	44.7	68646	48.0
Injuries	9397	11.7	5363	8.6	14760	10.3
Symptoms, signs and Ill-defined conditions	5326	6.6	6691	10.7	12017	8.4
Total	80249	100.0	62681	100.0	142930	100.0

Table 2.1B : Distribution of Deaths by Major Cause Groups in EAG States & Assam and Other States : 2007-2009

Major cause groups	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
EAG States & Assam						
Communicable, maternal, perinatal and nutritional conditions	12192	42.8	11478	49.3	23670	45.7
Non-communicable diseases	11556	40.5	8014	34.4	19570	37.8
Injuries	2873	10.1	1621	7.0	4494	8.7
Symptoms, signs and Ill-defined conditions	1883	6.6	2176	9.3	4059	7.8
Total	28504	100.0	23289	100.0	51793	100.0
Other States						
Communicable, maternal, perinatal and nutritional conditions	12689	24.5	11148	28.3	23837	26.2
Non-communicable diseases	29089	56.2	19987	50.7	49076	53.8
Injuries	6524	12.6	3742	9.5	10266	11.3
Symptoms, signs and Ill-defined conditions	3443	6.7	4515	11.5	7958	8.7
Total	51745	100.0	39392	100.0	91137	100.0

Table 2.1C : Distribution of Deaths by Major Cause Groups in Rural and Urban Areas : 2007-2009

Major cause groups	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
Rural Area						
Communicable, maternal, perinatal and nutritional conditions	20455	33.0	18666	38.1	39121	35.3
Non-communicable diseases	29961	48.3	20829	42.5	50790	45.8
Injuries	7370	11.9	4274	8.7	11644	10.5
Symptoms, signs and Ill-defined conditions	4199	6.8	5223	10.7	9422	8.5
Total	61985	100.0	48992	100.0	110977	100.0
Urban Area						
Communicable, maternal, perinatal and nutritional conditions	4426	24.2	3960	28.9	8386	26.2
Non-communicable diseases	10684	58.5	7172	52.4	17856	55.9
Injuries	2027	11.1	1089	8.0	3116	9.8
Symptoms, signs and Ill-defined conditions	1127	6.2	1468	10.7	2595	8.1
Total	18264	100.0	13689	100.0	31953	100.0

Table 2.2A: Distribution of Deaths by age and gender in India : 2007-2009

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	10028	12.5	8418	13.4	18446	12.9
1-4	2255	2.8	2644	4.2	4899	3.4
0-4	12283	15.3	11062	17.6	23345	16.3
5-14	1783	2.2	1787	2.9	3570	2.5
15-29	5384	6.7	4450	7.1	9834	6.9
30-34	2435	3.0	1445	2.3	3880	2.7
35-44	6364	7.9	3283	5.2	9647	6.7
45-54	8627	10.8	4238	6.8	12865	9.0
55-69	19914	24.8	13925	22.2	33839	23.7
70+	23459	29.2	22491	35.9	45950	32.1
Total	80249	100.0	62681	100.0	142930	100.0

Table 2.2B: Distribution of Deaths by age and gender in EAG States & Assam and Other States : 2007-2009

Age Group	Deaths (%)											
	EAG States & Assam						Other States					
	Male	Male %	Female	Female %	Person	Person %	Male	Male %	Female	Female %	Person	Person %
0-1	5249	18.4	4586	19.7	9835	19.0	4779	9.2	3832	9.7	8611	9.4
1-4	1335	4.7	1693	7.3	3028	5.8	920	1.8	951	2.4	1871	2.1
0-4	6584	23.1	6279	27.0	12863	24.8	5699	11.0	4783	12.1	10482	11.5
5-14	971	3.4	1012	4.3	1983	3.8	812	1.6	775	2.0	1587	1.7
15-29	1992	7.0	1790	7.7	3782	7.3	3392	6.6	2660	6.8	6052	6.6
30-34	772	2.7	551	2.4	1323	2.6	1663	3.2	894	2.3	2557	2.8
35-44	1995	7.0	1213	5.2	3208	6.2	4369	8.4	2070	5.3	6439	7.1
45-54	2473	8.7	1361	5.8	3834	7.4	6154	11.9	2877	7.3	9031	9.9
55-69	6420	22.5	4574	19.6	10994	21.2	13494	26.1	9351	23.7	22845	25.1
70+	7297	25.6	6509	27.9	13806	26.7	16162	31.2	15982	40.6	32144	35.3
Total	28504	100.0	23289	100.0	51793	100.0	51745	100.0	39392	100.0	91137	100.0

Table 2.2C: Distribution of Deaths by age and gender in Rural & Urban Areas: 2007-2009

Age Group	Deaths (%)											
	Rural Area						Urban Area					
	Male	Male %	Female	Female %	Person	Person %	Male	Male %	Female	Female %	Person	Person %
0-1	8355	13.5	7035	14.4	15390	13.9	1673	9.2	1383	10.1	3056	9.6
1-4	1938	3.1	2253	4.6	4191	3.8	317	1.7	391	2.9	708	2.2
0-4	10293	16.6	9288	19.0	19581	17.6	1990	10.9	1774	13.0	3764	11.8
5-14	1485	2.4	1509	3.1	2994	2.7	298	1.6	278	2.0	576	1.8
15-29	4111	6.6	3517	7.2	7628	6.9	1273	7.0	933	6.8	2206	6.9
30-34	1832	3.0	1153	2.4	2985	2.7	603	3.3	292	2.1	895	2.8
35-44	4632	7.5	2514	5.1	7146	6.4	1732	9.5	769	5.6	2501	7.8
45-54	6256	10.1	3174	6.5	9430	8.5	2371	13.0	1064	7.8	3435	10.8
55-69	15118	24.4	10672	21.8	25790	23.2	4796	26.3	3253	23.8	8049	25.2
70+	18258	29.5	17165	35.0	35423	31.9	5201	28.5	5326	38.9	10527	32.9
Total	61985	100.0	48992	100.0	110977	100.0	18264	100.0	13689	100.0	31953	100.0

Table 2.3A: Top 10 Causes of Death in India (all ages): 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	22.2	18.9	20.8
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.6	10.7	8.4
3	Respiratory diseases	8.6	7.6	8.2
4	Perinatal conditions	6.8	6.7	6.8
5	Diarrhoeal diseases	5.0	7.5	6.1
6	Malignant and other Neoplasms	5.7	6.4	6.0
7	Digestive diseases	6.2	3.9	5.2
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.9	4.9	4.9
9	Respiratory infections	4.3	5.4	4.8
10	Tuberculosis	5.3	3.2	4.4
	All Other Remaining Causes	24.2	24.7	24.4
	Total	100.0	100.0	100.0

Table 2.3B: Top 10 Causes of Death in EAG States & Assam and Other States (all ages): 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Cardiovascular diseases	14.8	12.0	13.6
2	Perinatal conditions	9.7	9.3	9.5
3	Diarrhoeal diseases	7.5	10.4	8.8
4	Respiratory diseases	9.3	7.7	8.5
5	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.6	9.3	7.8
6	Respiratory infections	6.7	8.3	7.4
7	Digestive diseases	5.9	5.0	5.5
8	Tuberculosis	6.3	3.8	5.2
9	Unintentional injuries: Other Than Motor Vehicle Accidents	4.8	4.6	4.7
10	Malignant and other Neoplasms	4.2	4.4	4.3
	All Other Remaining Causes	24.2	25.2	24.6
	Total	100.0	100.0	100.0
Other States				
1	Cardiovascular diseases	26.3	22.9	24.8
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.7	11.5	8.7
3	Respiratory diseases	8.2	7.6	7.9
4	Malignant and other Neoplasms	6.5	7.6	7.0
5	Perinatal conditions	5.3	5.2	5.3
6	Digestive diseases	6.4	3.3	5.1
7	Unintentional injuries: Other Than Motor Vehicle Accidents	4.9	5.1	5.0
8	Diarrhoeal diseases	3.6	5.8	4.6
9	Tuberculosis	4.8	2.9	4.0
10	Respiratory infections	3.0	3.7	3.3
	All Other Remaining Causes	24.2	24.4	24.3
	Total	100.0	100.0	100.0

Table 2.3C: Top 10 Causes of Death in Rural & Urban Areas (all ages): 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Cardiovascular diseases	20.4	17.3	19.0
2	Respiratory diseases	9.1	7.9	8.6
3	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.8	10.7	8.5
4	Perinatal conditions	7.4	7.1	7.3
5	Diarrhoeal diseases	5.4	7.9	6.5
6	Malignant and other Neoplasms	5.4	6.2	5.8
7	Respiratory infections	4.6	5.8	5.1
8	Digestive diseases	6.0	3.9	5.1
9	Unintentional injuries: Other Than Motor Vehicle Accidents	5.1	5.0	5.0
10	Tuberculosis	5.6	3.3	4.6
	All Other Remaining Causes	24.3	24.9	24.6
	Total	100.0	100.0	100.0
Urban Areas				
1	Cardiovascular diseases	28.6	24.4	26.8
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.2	10.7	8.1
3	Malignant and other Neoplasms	6.7	7.5	7.0
4	Respiratory diseases	6.8	6.5	6.7
5	Digestive diseases	7.0	4.0	5.7
6	Perinatal conditions	5.1	5.3	5.2
7	Diarrhoeal diseases	3.7	5.9	4.6
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.1	4.7	4.4
9	Tuberculosis	4.6	3.0	3.9
10	Genito-urinary diseases	4.0	3.4	3.8
	All Other Remaining Causes	23.1	24.5	23.7
	Total	100.0	100.0	100.0

Table 3.1 A: Top 10 Causes of Death in age below 29 days: 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	43.7	43.5	43.6
2	Birth asphyxia & birth trauma	15.0	13.4	14.3
3	Neonatal Pneumonia	11.2	12.8	11.9
4	Other noncommunicable diseases	7.6	7.2	7.4
5	Ill defined or cause unknown	7.1	7.3	7.2
6	Congenital anomalies	5.3	4.3	4.8
7	Sepsis	4.2	5.0	4.6
8	Diarrhoeal diseases	2.7	3.2	2.9
9	Tetanus	1.4	1.6	1.5
10	Fever of unknown origin	0.5	0.6	0.5
	All Other Remaining Causes	1.3	1.2	1.2
	Total	100.0	100.0	100.0

Table 3.1B: Top 10 Causes of Death in age below 29 days in EAG States & Assam and other States : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Prematurity & low birth weight	42.2	41.8	42.0
2	Neonatal Pneumonia	14.1	16.2	15.1
3	Birth asphyxia & birth trauma	12.9	11.4	12.3
4	Ill defined or cause unknown	7.7	7.4	7.6
5	Other noncommunicable diseases	7.4	7.1	7.3
6	Sepsis	4.8	5.7	5.2
7	Diarrhoeal diseases	3.3	3.6	3.4
8	Congenital anomalies	3.1	2.3	2.7
9	Tetanus	2.6	2.7	2.7
10	Fever of unknown origin	0.7	0.7	0.7
	All Other Remaining Causes	1.1	1.1	1.1
	Total	100.0	100.0	100.0
Other States				
1	Prematurity & low birth weight	45.3	45.5	45.4
2	Birth asphyxia & birth trauma	17.2	15.8	16.6
3	Neonatal Pneumonia	8.1	8.8	8.4
4	Other noncommunicable diseases	7.8	7.3	7.6
5	Congenital anomalies	7.6	6.7	7.2
6	Ill defined or cause unknown	6.4	7.1	6.7
7	Sepsis	3.6	4.2	3.8
8	Diarrhoeal diseases	2.0	2.6	2.3
9	Injuries	0.7	0.6	0.7
10	Fever of unknown origin	0.4	0.4	0.4
	All Other Remaining Causes	0.8	1.0	0.9
	Total	100.0	100.0	100.0

Table 3.1C: Top 10 Causes of Death in age below 29 days in Rural and Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Prematurity & low birth weight	43.6	43.6	43.6
2	Birth asphyxia & birth trauma	15.1	12.9	14.1
3	Neonatal Pneumonia	11.6	13.3	12.3
4	Other noncommunicable diseases	7.2	7.1	7.2
5	Ill defined or cause unknown	7.1	7.3	7.2
6	Sepsis	4.4	5.1	4.7
7	Congenital anomalies	4.8	4.0	4.5
8	Diarrhoeal diseases	2.8	3.2	3.0
9	Tetanus	1.6	1.6	1.6
10	Fever of unknown origin	0.5	0.6	0.6
	All Other Remaining Causes	1.3	1.3	1.3
	Total	100.0	100.0	100.0
Urban Areas				
1	Prematurity & low birth weight	44.4	42.9	43.7
2	Birth asphyxia & birth trauma	14.4	16.3	15.2
3	Neonatal Pneumonia	9.5	10.2	9.8
4	Other noncommunicable diseases	9.5	7.6	8.6
5	Ill defined or cause unknown	7.0	7.2	7.1
6	Congenital anomalies	7.5	5.9	6.8
7	Sepsis	3.5	4.5	4.0
8	Diarrhoeal diseases	2.0	2.9	2.4
9	Tetanus	0.7	1.5	1.1
10	Injuries	0.5	0.4	0.4
	All Other Remaining Causes	1.0	0.6	0.9
	Total	100.0	100.0	100.0

Table 3.2A: Top 10 Causes of Death in age below 1 year in India : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	32.9	30.7	31.9
2	Pneumonia	16.4	18.7	17.5
3	Birth asphyxia & birth trauma	11.4	9.7	10.6
4	Other noncommunicable diseases	8.4	7.9	8.2
5	Diarrhoeal diseases	6.4	8.2	7.2
6	Ill defined or cause unknown	6.5	6.3	6.4
7	Congenital anomalies	5.4	4.5	5.0
8	Acute bacterial sepsis and severe infections	3.4	3.7	3.5
9	Fever of unknown origin	1.6	1.9	1.8
10	Nutritional diseases	1.6	1.9	1.8
	All Other Remaining Causes	5.9	6.5	6.2
	Total	100.0	100.0	100.0

Table 3.2B: Top 10 Causes of Death in age below 1 year in EAG States & Assam And other States : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Prematurity & low birth weight	31.7	29.3	30.6
2	Pneumonia	19.1	21.8	20.3
3	Birth asphyxia & birth trauma	9.9	8.3	9.1
4	Diarrhoeal diseases	7.6	9.2	8.3
5	Other noncommunicable diseases	7.8	7.5	7.6
6	Ill defined or cause unknown	7.0	6.3	6.7
7	Acute bacterial sepsis and severe infections	3.8	4.1	3.9
8	Congenital anomalies	3.0	2.4	2.7
9	Tetanus	2.2	2.1	2.2
10	Nutritional diseases	2.0	2.2	2.1
	All Other Remaining Causes	6.1	7.0	6.5
	Total	100.0	100.0	100.0
Other States				
1	Prematurity & low birth weight	34.2	32.4	33.4
2	Pneumonia	13.6	15.1	14.3
3	Birth asphyxia & birth trauma	13.1	11.4	12.4
4	Other noncommunicable diseases	9.1	8.4	8.8
5	Congenital anomalies	8.1	7.0	7.6
6	Ill defined or cause unknown	5.9	6.3	6.1
7	Diarrhoeal diseases	5.1	7.0	6.0
8	Acute bacterial sepsis and severe infections	2.9	3.2	3.0
9	Injuries	1.5	1.8	1.6
10	Fever of unknown origin	1.4	1.7	1.5
	All Other Remaining Causes	5.1	5.7	5.3
	Total	100.0	100.0	100.0

Table 3.2C: Top 10 Causes of Death in age below 1 year in Rural & Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Prematurity & low birth weight	32.9	30.8	31.9
2	Pneumonia	16.6	19.2	17.8
3	Birth asphyxia & birth trauma	11.5	9.3	10.5
4	Other noncommunicable diseases	8.0	7.7	7.8
5	Diarrhoeal diseases	6.6	8.3	7.4
6	Ill defined or cause unknown	6.5	6.3	6.4
7	Congenital anomalies	5.0	4.2	4.6
8	Acute bacterial sepsis and severe infections	3.5	3.7	3.6
9	Fever of unknown origin	1.6	2.0	1.8
10	Nutritional diseases	1.7	1.8	1.8
	All Other Remaining Causes	6.2	6.7	6.5
	Total	100.0	100.0	100.0
Urban Areas				
1	Prematurity & low birth weight	33.0	30.4	31.8
2	Pneumonia	15.7	16.3	16.0
3	Birth asphyxia & birth trauma	11.2	11.9	11.5
4	Other noncommunicable diseases	10.3	9.0	9.7
5	Congenital anomalies	7.6	5.8	6.8
6	Ill defined or cause unknown	6.5	6.4	6.4
7	Diarrhoeal diseases	5.6	7.5	6.4
8	Acute bacterial sepsis and severe infections	2.8	3.6	3.2
9	Nutritional diseases	1.4	2.2	1.7
10	Fever of unknown origin	1.4	1.4	1.4
	All Other Remaining Causes	4.5	5.5	5.0
	Total	100.0	100.0	100.0

Table 3.3A: Top 10 Causes of Death in age 1- 4 year in India: 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Diarrhoeal diseases	20.0	22.4	21.3
2	Pneumonia	18.0	19.2	18.6
3	Injuries	14.5	9.8	12.0
4	Other noncommunicable diseases	11.1	8.9	9.9
5	Malaria	6.7	7.0	6.9
6	Fever of unknown origin	5.2	5.7	5.5
7	Meningitis/encephalitis	5.1	4.7	4.9
8	Other infectious and parasitic diseases	4.5	4.8	4.7
9	Nutritional diseases	2.8	5.0	4.0
10	Measles	2.9	4.3	3.7
	All Other Remaining Causes	9.2	8.1	8.6
	Total	100.0	100.0	100.0

Table 3.3B: Top 10 Causes of Death in age 1- 4 year in EAG States & Assam and Other States : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Diarrhoeal diseases	22.8	24.6	23.8
2	Pneumonia	20.9	21.3	21.1
3	Injuries	11.5	8.1	9.6
4	Other noncommunicable diseases	9.6	7.5	8.4
5	Malaria	6.7	7.0	6.8
6	Fever of unknown origin	5.8	5.6	5.6
7	Nutritional diseases	3.1	6.0	4.7
8	Other infectious and parasitic diseases	4.4	4.8	4.6
9	Meningitis/encephalitis	4.6	4.5	4.5
10	Measles	3.4	4.5	4.0
	All Other Remaining Causes	7.3	6.3	6.7
	Total	100.0	100.0	100.0
Other States				
1	Diarrhoeal diseases	15.9	18.4	17.2
2	Injuries	19.0	12.9	15.9
3	Pneumonia	13.7	15.5	14.6
4	Other noncommunicable diseases	13.3	11.4	12.3
5	Malaria	6.8	7.0	6.9
6	Congenital anomalies	5.4	6.9	6.2
7	Meningitis/encephalitis	5.8	5.2	5.5
8	Fever of unknown origin	4.3	5.9	5.1
9	Other infectious and parasitic diseases	4.6	4.9	4.8
10	Measles	2.2	4.0	3.1
	All Other Remaining Causes	9.0	7.9	8.4
	Total	100.0	100.0	100.0

Table 3.3C: Top 10 Causes of Death in age 1- 4 year in Rural & Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Diarrhoeal diseases	20.0	22.5	21.4
2	Pneumonia	17.8	19.0	18.4
3	Injuries	15.0	9.6	12.1
4	Other noncommunicable diseases	10.9	8.5	9.6
5	Malaria	7.0	7.5	7.3
6	Fever of unknown origin	5.5	5.9	5.8
7	Meningitis/encephalitis	5.2	4.8	5.0
8	Other infectious and parasitic diseases	4.1	4.8	4.5
9	Nutritional diseases	2.9	5.2	4.1
10	Measles	2.9	4.3	3.7
	All Other Remaining Causes	8.7	7.7	8.2
	Total	100.0	100.0	100.0
Urban Areas				
1	Diarrhoeal diseases	20.2	21.2	20.8
2	Pneumonia	19.2	20.5	19.9
3	Other noncommunicable diseases	12.3	11.3	11.7
4	Injuries	11.7	11.3	11.4
5	Other infectious and parasitic diseases	6.6	5.1	5.8
6	Malaria	5.0	3.8	4.4
7	Meningitis/encephalitis	4.1	4.1	4.1
8	Measles	3.2	4.1	3.7
9	Fever of unknown origin	3.2	4.1	3.7
10	Congenital anomalies	3.8	3.6	3.7
	All Other Remaining Causes	10.7	11.0	10.9
	Total	100.0	100.0	100.0

Table 3.4A- Top 10 Causes of Death in age 0 - 4 years in India : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	26.9	23.4	25.2
2	Pneumonia	16.7	18.9	17.7
3	Diarrhoeal diseases	8.9	11.6	10.2
4	Other noncommunicable diseases	8.9	8.1	8.5
5	Birth asphyxia & birth trauma	9.3	7.4	8.4
6	Ill defined or cause unknown	5.9	5.4	5.6
7	Congenital anomalies	5.0	4.2	4.6
8	Injuries	3.7	3.4	3.5
9	Acute bacterial sepsis and severe infections	2.9	3.0	3.0
10	Fever of unknown origin	2.3	2.8	2.5
	All Other Remaining Causes	9.6	11.9	10.7
	Total	100.0	100.0	100.0

Table 3.4B: Top 10 Causes of Death in age 0 - 4 years in EAG States & Assam and Other States : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Prematurity & low birth weight	25.3	21.4	23.4
2	Pneumonia	19.4	21.7	20.5
3	Diarrhoeal diseases	10.7	13.3	12.0
4	Other noncommunicable diseases	8.1	7.5	7.8
5	Birth asphyxia & birth trauma	7.9	6.0	7.0
6	Ill defined or cause unknown	6.2	5.3	5.8
7	Acute bacterial sepsis and severe infections	3.2	3.2	3.2
8	Injuries	3.1	2.9	3.0
9	Fever of unknown origin	2.6	3.1	2.8
10	Nutritional diseases	2.2	3.2	2.7
	All Other Remaining Causes	11.3	12.4	11.8
	Total	100.0	100.0	100.0
Other States				
1	Prematurity & low birth weight	28.7	26.0	27.5
2	Pneumonia	13.6	15.2	14.3
3	Birth asphyxia & birth trauma	11.0	9.1	10.2
4	Other noncommunicable diseases	9.7	9.0	9.4
5	Diarrhoeal diseases	6.8	9.3	8.0
6	Congenital anomalies	7.7	7.0	7.4
7	Ill defined or cause unknown	5.5	5.4	5.5
8	Injuries	4.4	4.0	4.2
9	Acute bacterial sepsis and severe infections	2.6	2.7	2.7
10	Fever of unknown origin	1.9	2.5	2.2
	All Other Remaining Causes	8.1	9.7	8.8
	Total	100.0	100.0	100.0

Table 3.4C: Top 10 Causes of Death in age 0 - 4 years in Rural & Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Prematurity & low birth weight	26.7	23.3	25.1
2	Pneumonia	16.8	19.2	17.9
3	Diarrhoeal diseases	9.1	11.8	10.4
4	Birth asphyxia & birth trauma	9.3	7.0	8.2
5	Other noncommunicable diseases	8.5	7.9	8.2
6	Ill defined or cause unknown	5.8	5.3	5.6
7	Congenital anomalies	4.6	4.0	4.3
8	Injuries	3.8	3.4	3.6
9	Acute bacterial sepsis and severe infections	3.0	3.0	3.0
10	Fever of unknown origin	2.4	3.0	2.7
	All Other Remaining Causes	10.0	12.3	11.0
	Total	100.0	100.0	100.0
Urban Areas				
1	Prematurity & low birth weight	27.7	23.7	25.9
2	Pneumonia	16.3	17.2	16.7
3	Other noncommunicable diseases	10.6	9.5	10.1
4	Birth asphyxia & birth trauma	9.4	9.2	9.4
5	Diarrhoeal diseases	7.9	10.5	9.1
6	Congenital anomalies	7.0	5.3	6.2
7	Ill defined or cause unknown	6.0	5.7	5.9
8	Injuries	3.0	3.6	3.2
9	Acute bacterial sepsis and severe infections	2.7	3.0	2.8
10	Nutritional diseases	1.5	2.6	2.0
	All Other Remaining Causes	7.8	9.6	8.7
	Total	100.0	100.0	100.0

Table 3.5A-Top 10 Causes of Death in age 5-14 years in India : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Unintentional injuries: Other Than Motor Vehicle Accidents	20.0	13.3	16.6
2	Diarrhoeal diseases	11.0	14.9	13.0
3	Other infectious and parasitic diseases	12.6	12.0	12.3
4	Malaria	8.0	8.0	8.0
5	Digestive diseases	6.8	7.3	7.0
6	Respiratory infections	5.9	8.1	7.0
7	Fever of unknown origin	4.5	5.5	5.0
8	Unintentional injuries: Motor Vehicle Accidents	6.0	3.3	4.6
9	Other Non-Communicable Diseases	4.0	4.0	4.0
10	Neuro-psychiatric conditions	4.0	3.5	3.8
	All Other Remaining Causes	17.2	20.1	18.7
	Total	100.0	100.0	100.0

Table 3.5B: Top 10 Causes of Death in age 5-14 years in EAG States & Assam and Other States : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	19.6	12.5	15.9
2	Diarrhoeal diseases	12.4	16.3	14.4
3	Other infectious and parasitic diseases	12.7	12.5	12.6
4	Malaria	9.5	8.8	9.1
5	Digestive diseases	8.1	8.8	8.5
6	Respiratory infections	6.8	9.0	7.9
7	Fever of unknown origin	4.3	6.3	5.3
8	Unintentional injuries: Motor Vehicle Accidents	4.3	2.4	3.3
9	Other Non-Communicable Diseases	2.7	3.2	2.9
10	Neuro-psychiatric conditions	3.6	2.2	2.9
	All Other Remaining Causes	16.1	18.2	17.1
	Total	100.0	100.0	100.0
Other States				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	20.6	14.3	17.5
2	Other infectious and parasitic diseases	12.4	11.4	11.9
3	Diarrhoeal diseases	9.4	13.2	11.2
4	Malaria	6.2	7.0	6.6
5	Unintentional injuries: Motor Vehicle Accidents	8.0	4.5	6.3
6	Respiratory infections	4.9	7.0	5.9
7	Other Non-Communicable Diseases	5.7	5.2	5.4
8	Digestive diseases	5.2	5.3	5.2
9	Neuro-psychiatric conditions	4.6	5.2	4.9
10	Fever of unknown origin	4.7	4.4	4.5
	All Other Remaining Causes	18.5	22.7	20.5
	Total	100.0	100.0	100.0

Table 3.5C: Top 10 Causes of Death in age 5-14 years in Rural & Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	20.6	13.7	17.1
2	Diarrhoeal diseases	11.0	15.2	13.1
3	Other infectious and parasitic diseases	12.8	11.9	12.3
4	Malaria	8.1	7.4	7.8
5	Respiratory infections	6.1	8.4	7.2
6	Digestive diseases	6.8	7.1	6.9
7	Fever of unknown origin	4.6	5.5	5.0
8	Unintentional injuries: Motor Vehicle Accidents	5.7	3.4	4.5
9	Other Non-Communicable Diseases	3.5	4.2	3.8
10	Neuro-psychiatric conditions	4.0	3.4	3.7
	All Other Remaining Causes	16.8	19.8	18.3
	Total	100.0	100.0	100.0
Urban Areas				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	17.1	10.8	14.1
2	Diarrhoeal diseases	11.1	13.3	12.2
3	Other infectious and parasitic diseases	11.4	12.6	12.0
4	Malaria	7.0	11.2	9.0
5	Digestive diseases	6.7	8.3	7.5
6	Respiratory infections	5.4	6.5	5.9
7	Unintentional injuries: Motor Vehicle Accidents	7.7	2.9	5.4
8	Other Non-Communicable Diseases	6.7	3.2	5.0
9	Fever of unknown origin	4.0	5.4	4.7
10	Neuro-psychiatric conditions	4.0	4.0	4.0
	All Other Remaining Causes	18.8	21.9	20.3
	Total	100.0	100.0	100.0

Table 3.6A: Top 10 Causes of Death in age 15-29 years in India : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Intentional injuries: Suicide	13.1	18.7	15.6
2	Unintentional injuries: Motor Vehicle Accidents	18.2	2.5	11.1
3	Unintentional injuries: Other Than Motor Vehicle Accidents	11.2	8.3	9.9
4	Digestive diseases	7.7	7.1	7.4
5	Cardiovascular diseases	7.4	7.1	7.3
6	Tuberculosis	6.7	6.6	6.6
7	Maternal conditions	0.0	11.3	5.1
8	Diarrhoeal diseases	3.7	5.3	4.4
9	Malignant and other Neoplasms	4.1	4.7	4.4
10	Other infectious and parasitic diseases	4.3	3.9	4.1
	All Other Remaining Causes	23.6	24.5	24.0
	Total	100.0	100.0	100.0

Table 3.6B: Top 10 Causes of Death in age 15-29 years in EAG States & Assam and Other States: 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	11.1	8.8	10.0
2	Intentional injuries: Suicide	8.7	10.8	9.7
3	Digestive diseases	9.1	9.8	9.4
4	Unintentional injuries: Motor Vehicle Accidents	16.4	1.6	9.4
5	Tuberculosis	9.0	8.0	8.5
6	Maternal conditions	0.0	14.9	7.1
7	Diarrhoeal diseases	5.3	7.3	6.3
8	Cardiovascular diseases	6.2	5.6	5.9
9	Malaria	5.4	5.8	5.6
10	Other infectious and parasitic diseases	5.9	4.8	5.4
	All Other Remaining Causes	22.9	22.6	22.7
	Total	100.0	100.0	100.0
Other States				
1	Intentional injuries: Suicide	15.7	23.9	19.3
2	Unintentional injuries: Motor Vehicle Accidents	19.2	3.1	12.1
3	Unintentional injuries: Other Than Motor Vehicle Accidents	11.3	8.0	9.8
4	Cardiovascular diseases	8.2	8.1	8.1
5	Digestive diseases	6.8	5.2	6.1
6	Tuberculosis	5.3	5.6	5.5
7	Malignant and other Neoplasms	4.7	5.7	5.1
8	Maternal conditions	0.0	8.9	3.9
9	Neuro-psychiatric conditions	3.8	3.8	3.8
10	Other infectious and parasitic diseases	3.3	3.3	3.3
	All Other Remaining Causes	21.8	24.2	22.9
	Total	100.0	100.0	100.0

Table 3.6C: Top 10 Causes of Death in age 15-29 years in Rural & Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Intentional injuries: Suicide	13.8	19.8	16.6
2	Unintentional injuries: Motor Vehicle Accidents	17.9	2.2	10.7
3	Unintentional injuries: Other Than Motor Vehicle Accidents	11.8	8.4	10.3
4	Digestive diseases	7.4	7.2	7.3
5	Cardiovascular diseases	7.1	7.0	7.1
6	Tuberculosis	6.7	6.0	6.4
7	Maternal conditions	0.0	11.5	5.3
8	Diarrhoeal diseases	3.7	5.2	4.4
9	Malignant and other Neoplasms	4.0	4.7	4.4
10	Malaria	3.8	4.3	4.0
	All Other Remaining Causes	23.7	23.8	23.8
	Total	100.0	100.0	100.0
Urban Areas				
1	Unintentional injuries: Motor Vehicle Accidents	19.1	3.4	12.5
2	Intentional injuries: Suicide	10.8	14.4	12.3
3	Unintentional injuries: Other Than Motor Vehicle Accidents	9.2	8.1	8.7
4	Cardiovascular diseases	8.4	7.5	8.0
5	Digestive diseases	8.5	6.8	7.8
6	Tuberculosis	6.7	8.8	7.6
7	Malignant and other Neoplasms	4.5	4.8	4.6
8	Maternal conditions	0.0	10.9	4.6
9	Diarrhoeal diseases	3.8	5.6	4.5
10	Other infectious and parasitic diseases	4.6	4.2	4.4
	All Other Remaining Causes	24.6	25.5	25.0
	Total	100.0	100.0	100.0

Table 3.7A: Top 10 Causes of Death in age 30-69 years in India : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	29.6	26.6	28.4
2	Malignant and other Neoplasms	8.7	13.0	10.3
3	Respiratory diseases	8.6	9.0	8.8
4	Digestive diseases	9.2	5.2	7.7
5	Tuberculosis	8.4	5.5	7.3
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.5	4.5	4.5
7	Genito-urinary diseases	4.0	3.9	3.9
8	Diarrhoeal diseases	3.0	5.0	3.8
9	Unintentional injuries: Motor Vehicle Accidents	4.4	1.5	3.3
10	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	2.6	4.2	3.2
	All Other Remaining Causes	17.1	21.7	18.8
	Total	100.0	100.0	100.0

Table 3.7B: Top 10 Causes of Death in age 30-69 years in EAG States & Assam and Other States: 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Cardiovascular diseases	22.4	21.1	21.9
2	Respiratory diseases	11.3	10.5	11.0
3	Tuberculosis	11.2	7.0	9.5
4	Malignant and other Neoplasms	7.7	10.2	8.6
5	Digestive diseases	8.6	6.8	7.9
6	Diarrhoeal diseases	4.6	7.1	5.6
7	Unintentional injuries: Other Than Motor Vehicle Accidents	4.5	4.7	4.6
8	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	3.5	5.4	4.3
9	Fever of unknown origin	3.0	4.3	3.5
10	Malaria	3.0	4.2	3.5
	All Other Remaining Causes	20.2	18.8	19.7
	Total	100.0	100.0	100.0
Other States				
1	Cardiovascular diseases	32.8	29.5	31.6
2	Malignant and other Neoplasms	9.1	14.5	11.1
3	Respiratory diseases	7.4	8.1	7.7
4	Digestive diseases	9.5	4.4	7.6
5	Tuberculosis	7.0	4.7	6.2
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.5	4.4	4.4
7	Genito-urinary diseases	4.4	4.3	4.4
8	Intentional injuries: Suicide	3.7	3.0	3.5
9	Unintentional injuries: Motor Vehicle Accidents	4.5	1.6	3.4
10	Diarrhoeal diseases	2.3	4.0	2.9
	All Other Remaining Causes	14.7	21.6	17.3
	Total	100.0	100.0	100.0

Table 3.7C: Top 10 Causes of Death in age 30-69 years in Rural & Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Cardiovascular diseases	27.6	24.8	26.5
2	Malignant and other Neoplasms	8.5	12.8	10.2
3	Respiratory diseases	9.4	9.6	9.5
4	Tuberculosis	9.0	5.8	7.7
5	Digestive diseases	8.9	5.2	7.5
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.9	4.7	4.8
7	Diarrhoeal diseases	3.3	5.5	4.1
8	Genito-urinary diseases	3.7	3.4	3.6
9	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	2.6	4.4	3.3
10	Unintentional injuries: Motor Vehicle Accidents	4.2	1.4	3.1
	All Other Remaining Causes	17.9	22.4	19.7
	Total	100.0	100.0	100.0
Urban Areas				
1	Cardiovascular diseases	35.4	32.6	34.4
2	Malignant and other Neoplasms	9.0	13.7	10.7
3	Digestive diseases	10.0	5.1	8.2
4	Respiratory diseases	6.5	6.8	6.6
5	Tuberculosis	6.5	4.5	5.8
6	Genito-urinary diseases	4.8	5.5	5.0
7	Unintentional injuries: Motor Vehicle Accidents	5.0	1.8	3.8
8	Unintentional injuries: Other Than Motor Vehicle Accidents	3.5	3.6	3.5
9	Diabetes mellitus	2.8	4.2	3.3
10	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	2.5	3.7	2.9
	All Other Remaining Causes	14.2	18.6	15.8
	Total	100.0	100.0	100.0

Table 3.8A:Top 10 Causes of Death in age 70 years and over adults in India : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	27.2	23.8	25.5
2	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings	17.4	24.3	20.8
3	Respiratory diseases	15.1	11.6	13.4
4	Diarrhoeal diseases	6.0	7.8	6.9
5	Fever of unknown origin	4.1	5.3	4.7
6	Unintentional injuries: Other Than Motor Vehicle Accidents	3.7	5.1	4.4
7	Malignant and other Neoplasms	4.7	3.6	4.2
8	Digestive diseases	3.4	2.7	3.1
9	Respiratory infections	3.0	3.1	3.0
10	Diabetes mellitus	2.8	2.7	2.7
	All Other Remaining Causes	12.6	10.0	11.3
	Total	100.0	100.0	100.0

Table 3.8B:Top 10 Causes of Death in age 70 years and over adults in EAG States & Assam and Other States: 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
EAG States & Assam				
1	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings	18.4	25.1	21.6
2	Cardiovascular diseases	20.1	16.1	18.2
3	Respiratory diseases	17.6	14.1	15.9
4	Diarrhoeal diseases	9.3	11.3	10.2
5	Fever of unknown origin	4.8	6.9	5.8
6	Respiratory infections	4.2	4.2	4.2
7	Unintentional injuries: Other Than Motor Vehicle Accidents	3.3	4.3	3.8
8	Digestive diseases	3.8	3.7	3.8
9	Tuberculosis	3.8	2.4	3.1
10	Malignant and other Neoplasms	3.3	2.7	3.0
	All Other Remaining Causes	11.3	9.2	10.4
	Total	100.0	100.0	100.0
Other States				
1	Cardiovascular diseases	30.3	26.9	28.6
2	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings	17.0	24.0	20.5
3	Respiratory diseases	14.0	10.6	12.3
4	Diarrhoeal diseases	4.5	6.3	5.4
5	Malignant and other Neoplasms	5.4	4.0	4.7
6	Unintentional injuries: Other Than Motor Vehicle Accidents	3.9	5.4	4.6
7	Fever of unknown origin	3.7	4.7	4.2
8	Diabetes mellitus	3.2	3.3	3.2
9	Genito-urinary diseases	3.6	2.2	2.9
10	Digestive diseases	3.2	2.3	2.8
	All Other Remaining Causes	11.2	10.3	10.8
	Total	100.0	100.0	100.0

Table 3.8C-Top 10 Causes of Death in age 70 years and over adults in Rural & Urban Areas : 2007-2009

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
Rural Areas				
1	Cardiovascular diseases	25.3	22.3	23.9
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	17.8	24.8	21.2
3	Respiratory diseases	16.1	12.3	14.3
4	Diarrhoeal diseases	6.4	8.2	7.3
5	Fever of unknown origin	4.5	5.7	5.0
6	Unintentional injuries: Other Than Motor Vehicle Accidents	3.6	4.9	4.3
7	Malignant and other Neoplasms	4.4	3.4	3.9
8	Respiratory infections	3.1	3.2	3.1
9	Digestive diseases	3.5	2.7	3.1
10	Tuberculosis	3.4	1.9	2.7
	All Other Remaining Causes	11.9	10.6	11.2
	Total	100.0	100.0	100.0
Urban Areas				
1	Cardiovascular diseases	33.7	28.3	31.0
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	16.0	22.9	19.5
3	Respiratory diseases	11.7	9.5	10.6
4	Diarrhoeal diseases	4.4	6.3	5.4
5	Malignant and other Neoplasms	5.8	4.3	5.1
6	Unintentional injuries: Other Than Motor Vehicle Accidents	3.9	5.5	4.7
7	Diabetes mellitus	4.0	3.7	3.9
8	Genito-urinary diseases	4.8	2.6	3.7
9	Fever of unknown origin	2.6	4.2	3.4
10	Digestive diseases	3.2	2.8	3.0
	All Other Remaining Causes	9.8	9.8	9.8
	Total	100.0	100.0	100.0

**Statement 4.1-Proportion of Deaths from Specific medical causes
in India 2007-2009; All india**

Causes of Death	Deaths (%)		
	Male	Female	Person
All Ages			
Cardiovascular diseases	22.2	18.9	20.8
Malignant and other Neoplasms	5.7	6.4	6.0
Diabetes mellitus	1.9	2.1	2.0
Tuberculosis	5.3	3.2	4.4
Malaria	1.9	2.6	2.2
Maternal conditions	0.0	1.1	0.5
HIV/AIDS	0.5	0.3	0.4
Ages 30-69			
Cardiovascular diseases	29.6	26.6	28.4
Malignant and other Neoplasms	8.7	13.0	10.3
Diabetes mellitus	2.3	2.9	2.5
Tuberculosis	8.4	5.5	7.3
Malaria	1.7	2.5	2.0
Maternal conditions	0.0	0.9	0.3
HIV/AIDS	0.7	0.5	0.7

**Statement 4.2- Proportion of Deaths from Specific medical causes in
India :2007-2009;EAG States & Assam and Other State**

Causes of Death	Deaths (%)		
	Male	Female	Person
EAG States & Assam			
All Ages			
Cardiovascular diseases	14.8	12.0	13.6
Malignant and other Neoplasms	4.2	4.4	4.3
Diabetes mellitus	1.3	1.0	1.2
Tuberculosis	6.3	3.8	5.2
Malaria	3.0	3.8	3.3
Maternal conditions	0.0	1.6	0.7
HIV/AIDS	0.2	0.1	0.1
Ages 30-69			
Cardiovascular diseases	22.4	21.1	21.9
Malignant and other Neoplasms	7.7	10.2	8.6
Diabetes mellitus	2.1	1.8	2.0
Tuberculosis	11.2	7.0	9.5
Malaria	3.0	4.2	3.5
Maternal conditions	0.0	1.4	0.6
HIV/AIDS	0.4	0.1	0.3
Other States			
All Ages			
Cardiovascular diseases	26.3	22.9	24.8
Malignant and other Neoplasms	6.5	7.6	7.0
Diabetes mellitus	2.2	2.8	2.5
Tuberculosis	4.8	2.9	4.0
Malaria	1.3	1.9	1.6
Maternal conditions	0.0	0.8	0.4
HIV/AIDS	0.6	0.4	0.5
Ages 30-69			
Cardiovascular diseases	32.8	29.5	31.6
Malignant and other Neoplasms	9.1	14.5	11.1
Diabetes mellitus	2.4	3.5	2.8
Tuberculosis	7.0	4.7	6.2
Malaria	1.0	1.7	1.3
Maternal conditions	0.0	0.6	0.2
HIV/AIDS	0.9	0.7	0.8

**Statement 4.3-Proportion of Deaths from Specific medical causes in
India :2007-2009;Rural & Urban Areas**

Causes of Death	Deaths (%)		
	Male	Female	Person
Rural Areas			
All Ages			
Cardiovascular diseases	20.4	17.3	19.0
Malignant and other Neoplasms	5.4	6.2	5.8
Diabetes mellitus	1.7	1.8	1.7
Tuberculosis	5.6	3.3	4.6
Malaria	2.1	2.8	2.4
Maternal conditions	0.0	1.1	0.5
HIV/AIDS	0.5	0.3	0.4
Ages 30-69			
Cardiovascular diseases	27.6	24.8	26.5
Malignant and other Neoplasms	8.5	12.8	10.2
Diabetes mellitus	2.2	2.6	2.3
Tuberculosis	9.0	5.8	7.7
Malaria	1.8	2.8	2.2
Maternal conditions	0.0	0.9	0.3
HIV/AIDS	0.9	0.6	0.7
Urban Areas			
All Ages			
Cardiovascular diseases	28.6	24.4	26.8
Malignant and other Neoplasms	6.7	7.5	7.0
Diabetes mellitus	2.6	3.2	2.8
Tuberculosis	4.6	3.0	3.9
Malaria	1.3	1.7	1.5
Maternal conditions	0.0	1.1	0.5
HIV/AIDS	0.3	0.2	0.3
Ages 30-69			
Cardiovascular diseases	35.4	32.6	34.4
Malignant and other Neoplasms	9.0	13.7	10.7
Diabetes mellitus	2.8	4.2	3.3
Tuberculosis	6.5	4.5	5.8
Malaria	1.2	1.6	1.3
Maternal conditions	0.0	0.8	0.3
HIV/AIDS	0.4	0.4	0.4

Table 5.1-Prevalence of Smoking/Chewing, Alcohol and Vegetarian among Various Causes of Death, Ages 30+ years: 2007-09: INDIA

Age group and underlying cause of death	Proportion who smoked/ chewed	Proportion who drank alcohol	Proportion who were vegetarian
Women			
Age 30-69 Yr			
Tuberculosis	19.0	6.9	23.3
Respiratory Disease	15.8	3.2	25.6
Stroke	15.5	3.0	17.9
Heart Disease	11.4	2.4	25.5
Neoplastic Disease	13.2	3.0	23.7
Peptic Ulcer	17.8	3.4	19.1
Liver Disease and Alcohol	15.5	14.6	22.5
Infection	14.4	4.3	21.3
Other or unspecified disease	11.2	3.3	23.7
Age 30-69 yr, any medical cause	13.3	3.8	23.2
Age =70 yr, any medical cause	13.5	1.9	26.2
Men			
Age 30-69 Yr			
Tuberculosis	69.7	46.8	23.8
Respiratory Disease	59.4	24.6	28.1
Stroke	50.3	25.1	18.4
Heart Disease	47.8	26.7	25.4
Neoplastic Disease	59.0	29.1	23.4
Peptic Ulcer	64.3	43.4	13.4
Liver Disease and Alcohol	65.5	68.9	17.9
Infection	51.8	30.5	19.4
Other or unspecified disease	45.6	26.4	23.9
Age 30-69 yr, any medical cause	53.7	33.2	22.8
Age >=70 yr, any medical cause	41.0	15.0	25.3

Table 5.1 A : Top 10 Causes of Death (All Ages): 2007-2009;
Major Region- North : (Chandigarh,Delhi,Haryana,Himachal Pradesh, jammu & Kashmir, Punjab and uttarakhand)

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	24.5	19.9	22.6
2	Respiratory diseases	10.6	9.3	10.0
3	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings	7.9	11.9	9.5
4	Malignant and other Neoplasms	6.2	7.5	6.8
5	Perinatal conditions	6.1	6.9	6.4
6	Digestive diseases	5.8	3.7	4.9
7	Diarrhoeal diseases	3.6	6.2	4.7
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.5	4.2	4.4
9	Respiratory infections	3.7	4.8	4.2
10	Tuberculosis	4.5	3.3	4.0
	All Other Remaining Causes	22.7	22.3	22.5
	Total	100.0	100.0	100.0

Table 5.1B : Top 10 Causes of Death (All Ages): 2007-2009;
Major Region- North East : (Arunachal Pradesh,Assam,Manipur,Meghalaya, Mizoram,Nagaland,Sikkim and Tripura)

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	17.9	16.3	17.2
2	Digestive diseases	9.3	6.3	8.1
3	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings	6.4	8.9	7.5
4	Malignant and other Neoplasms	7.7	6.9	7.3
5	Diarrhoeal diseases	6.5	7.9	7.0
6	Respiratory infections	5.9	7.6	6.6
7	Respiratory diseases	5.9	6.1	6.0
8	Perinatal conditions	6.0	5.6	5.8
9	Malaria	4.5	5.9	5.1
10	Tuberculosis	5.6	4.3	5.0
	All Other Remaining Causes	24.4	24.4	24.4
	Total	100.0	100.0	100.0

Table 5.1C : Top 10 Causes of Death (All Ages): 2007-2009;
Major Region- East : (Bihar, Jharkhand,Orissa and West Bengal)

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	22.2	19.6	21.1
2	Diarrhoeal diseases	7.6	9.9	8.6
3	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings	6.3	9.0	7.5
4	Perinatal conditions	7.6	7.2	7.4
5	Respiratory diseases	6.2	6.3	6.3
6	Digestive diseases	6.2	5.1	5.7
7	Respiratory infections	5.3	5.9	5.6
8	Unintentional injuries: Other Than Motor Vehicle Accidents	5.1	5.3	5.2
9	Malignant and other Neoplasms	5.0	5.1	5.0
10	Tuberculosis	5.8	3.2	4.6
	All Other Remaining Causes	22.7	23.2	22.9
	Total	100.0	100.0	100.0

Table 5.1D : Top 10 Causes of Death (All Ages): 2007-2009;
Major Region- Central : (Chattisgarh, Madhya Pradesh, Rajasthan and Uttar Pradesh)

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	13.6	10.4	12.2
2	Perinatal conditions	10.6	10.1	10.3
3	Respiratory diseases	11.6	8.7	10.3
4	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.9	10.4	8.5
5	Respiratory infections	7.2	9.3	8.1
6	Diarrhoeal diseases	5.9	8.6	7.1
7	Tuberculosis	6.3	3.7	5.1
8	Digestive diseases	5.2	4.3	4.8
9	Fever of unknown origin	4.1	5.8	4.8
10	Unintentional injuries: Other Than Motor Vehicle Accidents	4.6	4.4	4.5
	All Other Remaining Causes	24.1	24.2	24.2
	Total	100.0	100.0	100.0

Table 5.1E : Top 10 Causes of Death (All Ages): 2007-2009;
Major Region- West : (Dadra & Nagar Haveli, Daman & Diu, Goa, Gujarat and Maharashtra)

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	24.3	19.5	22.2
2	Respiratory diseases	8.9	9.4	9.1
3	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.0	11.2	8.3
4	Perinatal conditions	6.3	6.3	6.3
5	Malignant and other Neoplasms	5.9	6.4	6.1
6	Digestive diseases	7.7	3.2	5.7
7	Tuberculosis	6.4	4.2	5.4
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.9	5.4	5.1
9	Diarrhoeal diseases	4.0	6.4	5.0
10	Respiratory infections	3.2	4.9	3.9
	All Other Remaining Causes	22.5	23.2	22.8
	Total	100.0	100.0	100.0

Table 5.1F : Top 10 Causes of Death (All Ages): 2007-2009;
Major Region- South : (Andhra Pradesh, Andaman & Nicobar Islands, Karnataka, Kerala, Lakshadweep, Puducherry and Tamil Nadu)

Rank	Causes of Death	Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	27.8	24.7	26.4
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	6.5	11.9	8.8
3	Malignant and other Neoplasms	6.5	8.2	7.3
4	Respiratory diseases	7.7	6.6	7.2
5	Unintentional injuries: Other Than Motor Vehicle Accidents	5.3	5.8	5.5
6	Perinatal conditions	4.4	4.3	4.4
7	Intentional injuries: Suicide	4.5	4.1	4.4
8	Diarrhoeal diseases	3.3	5.7	4.3
9	Digestive diseases	5.6	2.5	4.2
10	Fever of unknown origin	2.9	4.5	3.6
	All Other Remaining Causes	25.5	21.8	23.9
	Total	100.0	100.0	100.0

Table 5.2A: Distribution of Deaths by Age and Gender , 2007-2009;
Major Region - North : (Chandigarh,Delhi, Haryana, Himachal Pradesh, Jammu & Kashmir, Punjab and Uttarakhand)

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1292	11.7	1096	14.0	2388	12.7
1-4	206	1.9	244	3.1	450	2.4
0-4	1498	13.6	1340	17.1	2838	15.1
5-14	205	1.9	195	2.5	400	2.1
15-29	836	7.6	585	7.5	1421	7.5
30-34	343	3.1	155	2.0	498	2.6
35-44	848	7.7	401	5.1	1249	6.6
45-54	1194	10.8	509	6.5	1703	9.0
55-69	2512	22.8	1692	21.6	4204	22.3
70+	3575	32.5	2954	37.7	6529	34.7
Total	11011	100.0	7831	100.0	18842	100.0

Table 5.2B: Distribution of Deaths by Age and Gender , 2007-2009;
Major Region - North East : (Arunachal Pradesh, Assam,Manipur, Meghalaya, Mizoram, Nagaland, Sikkim and Tripura)

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	808	12.5	606	12.9	1414	12.7
1-4	279	4.3	238	5.1	517	4.6
0-4	1087	16.9	844	18.0	1931	17.3
5-14	216	3.4	218	4.6	434	3.9
15-29	504	7.8	432	9.2	936	8.4
30-34	244	3.8	155	3.3	399	3.6
35-44	597	9.3	323	6.9	920	8.3
45-54	749	11.6	387	8.2	1136	10.2
55-69	1395	21.6	941	20.0	2336	21.0
70+	1652	25.6	1395	29.7	3047	27.4
Total	6444	100.0	4695	100.0	11139	100.0

**Table 5.2C: Distribution of Deaths by Age and Gender, 2007-2009;
Major Region - East : (Bihar , Jharkhand, Orrisa and West Bengal)**

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	2185	14.3	1867	14.6	4052	14.4
1-4	559	3.6	650	5.1	1209	4.3
0-4	2744	17.9	2517	19.7	5261	18.7
5-14	451	2.9	506	4.0	957	3.4
15-29	954	6.2	928	7.3	1882	6.7
30-34	392	2.6	297	2.3	689	2.5
35-44	1115	7.3	698	5.5	1813	6.5
45-54	1426	9.3	931	7.3	2357	8.4
55-69	3871	25.3	2836	22.2	6707	23.9
70+	4368	28.5	4053	31.7	8421	30.0
Total	15321	100.0	12766	100.0	28087	100.0

**Table 5.2D: Distribution of Deaths by Age and Gender, 2007-2009;
Major Region - Central : (Chattisgarh, Madhya Pradesh, Rajasthan and Uttar Pradesh)**

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	3182	20.2	2810	22.1	5992	21.0
1-4	799	5.1	1033	8.1	1832	6.4
0-4	3981	25.2	3843	30.2	7824	27.4
5-14	552	3.5	531	4.2	1083	3.8
15-29	1121	7.1	1003	7.9	2124	7.5
30-34	413	2.6	276	2.2	689	2.4
35-44	1068	6.8	633	5.0	1701	6.0
45-54	1313	8.3	625	4.9	1938	6.8
55-69	3427	21.7	2334	18.4	5761	20.2
70+	3913	24.8	3473	27.3	7386	25.9
Total	15788	100.0	12718	100.0	28506	100.0

**Table 5.2E: Distribution of Deaths by Age and Gender , 2007-2009;
Major Region - West: (Dadar & Nagar Haveli, Daman & Diu,Goa, Gujarat and Maharashtra)**

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1094	10.5	907	11.1	2001	10.7
1-4	209	2.0	266	3.3	475	2.5
0-4	1303	12.4	1173	14.4	2476	13.3
5-14	153	1.5	158	1.9	311	1.7
15-29	662	6.3	480	5.9	1142	6.1
30-34	355	3.4	180	2.2	535	2.9
35-44	952	9.1	390	4.8	1342	7.2
45-54	1254	12.0	522	6.4	1776	9.5
55-69	2777	26.5	1941	23.8	4718	25.3
70+	3010	28.8	3327	40.7	6337	34.0
Total	10466	100.0	8171	100.0	18637	100.0

**Table 5.2F: Distribution of Deaths by Age and Gender , 2007-2009;
Major Region - South: (Andhra Pradesh, Andaman & Nicobar Islands, Karnataka, Kerala,Lakshadweep,Puducherry and
Tamil Nadu)**

Age Group	Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1467	6.9	1132	6.9	2599	6.9
1-4	203	1.0	213	1.3	416	1.1
0-4	1670	7.9	1345	8.2	3015	8.0
5-14	206	1.0	179	1.1	385	1.0
15-29	1307	6.2	1022	6.2	2329	6.2
30-34	688	3.2	382	2.3	1070	2.8
35-44	1784	8.4	838	5.1	2622	7.0
45-54	2691	12.7	1264	7.7	3955	10.5
55-69	5932	28.0	4181	25.3	10113	26.8
70+	6941	32.7	7289	44.2	14230	37.7
Total	21219	100.0	16500	100.0	37719	100.0

ANNEXURE - 1

Neonatal Classification (Deaths in Age 0-28 Days) (Classification List 2)

Child age <29 days Neonatal mortality Classification (Deaths in Age < 29 days)

Disease	ICD 10 range
Communicable, perinatal and nutritional conditions	
Neonatal Infections:	
Neonatal Pneumonia	A37, H65-H68, H70, H71, J00-J22, J32, J36, J85, J86, P23, U04
Sepsis	A20-A28, A32, A38, A40-A44, A46, A48, A49, A68-A70, A74, A75, A77-A79, B95, B96, H10, H60, I30, I32-I33, I39-I41, K65, K67, K81, L00-L04, L08, M00-M01, M60, M86, N10, N30, N34, N41, N49, N61, P35-P39
Meningitis/encephalitis	A39, A81-A89, G00-G09
Other communicable diseases	
Diarrhoeal diseases	A00-A09
Tetanus	A33-A35
Poliomyelitis	A80, B91
Measles	B01, B05
Malaria	B50-B54
Other infectious and parasitic diseases	A15-A19, A30-A31, A36, A50-A67, A71, A90-A99, B00, B02-B04, B06-B09, B15-B27, B30, B33-B49, B55--B60, B64-B83, B85-B90, B92, B94, B97, B99, J65, K04, K05, K61, N70-N74, R75, U00, Y95
Fever of unknown origin	R50
Perinatal conditions	
Prematurity & low birthweight	P01, P05, P07, P22, P25-P28, P52, P61, P77, R04
Birth asphyxia & birth trauma	P00, P02, P03, P10-P15, P20, P21, P24, P29, P50, P90, P91
Other conditions	
Congenital anomalies	G10-G99, Q00-Q99
Nutritional diseases	D50-D53, E00-E02, E40-E46, E50-E56, E59-E61, E63, E64, X53-X54
Non Communicable diseases	
Other noncommunicable diseases	
Other noncommunicable diseases	C00-C97, D01-D48, D55-D89, E03-E35, E65-E90, F00-F99, H00-H06, H11-H59, H61-H62, H69, H72-H95, I00-I28, I31, I34-I38, I42-I99, J30, J31, J33-J35, J37-J47, J60, J64, J66-J70, J80-J82, J84, J90-J99, K00-K03, K06-K60, K62-K63, K70-K80, K82-K93, L05, L10-L99, M02-M54, M61-M85, M87-M99, N00-N08, N11-N29, N31-N33, N35-N40, N42-N48, N50-N51, N60, N62-N64, N75-N99, P04, P08, P51, P53-P60, P70-P72, P74-P76, P78, P80-P83, P92-P94, R00, R01, R03, R05, R06, R11-R23, R26, R27, R29-R36, R39-R49, R55, R56, R59, R63, R70-R74, R76-R77, R80-R82, R84-R87, R90, R91
Injuries	
Injuries	
Injuries	S00-S99, T00-T98, V01-V99, W00-W99, X00-X52, X57-X99, Y00-Y91, Y97-Y98
Ill defined conditions	
Ill defined or cause unknown	
Ill defined or cause unknown	P96, R02, R07, R09, R10, R25, R51-R54, R57-R58, R60-R62, R64, R68, R69, R78, R79, R83, R89, R92-R99

ANNEXURE - 2

Child age 1-59 month mortality (Classification list 3)

Child age 1-59 month Classification (Deaths in Age 1-59 month)

Disease	ICD 10 range
Communicable, perinatal and nutritional conditions	
Early childhood infections	
Pneumonia	A37, H65-H68, H70, H71, J00-J22, J32, J36, J85, J86, P23, U04
Acute bacterial sepsis and severe infections	A20-A28, A32, A38, A40-A44, A46, A48, A49, A68-A70, A74, A75, A77-A79, B95, B96, H10, H60, I30, I32, I33, I39-I41, K65, K67, K81, L00-L04, L08, M00-M01, M60, M86, N10, N30, N34, N41, N49, N61, P36, P38
Meningitis/encephalitis	A39, A81-A89, G00-G09
Other communicable diseases	
Diarrhoeal diseases	A00-A09
Tuberculosis	A15-A19, B90, J65
Tetanus	A33-A35
Poliomyelitis	A80, B91
Measles	B01, B05
HIV/AIDS	B20-B24, R75
Malaria	B50-B54
Other infectious and parasitic diseases	A30, A31, A36, A50-A67, A71, A90-A99, B00, B02-B04, B06-B09, B15-B19, B25-B27, B30, B33-B49, B55--B60, B64-B83, B85-B89, B92, B94, B97, B99, K02, K04, K05, K61, N70-N74, P35, P37, P39, U00, Y95
Fever of unknown origin	R50
Perinatal conditions	
Prematurity & low birth weight	P01, P05, P07, P22, P25-P28, P52, P61, P77
Birth asphyxia & birth trauma	P00, P02, P03, P10-P15, P20, P21, P24, P29, P50, P90, P91
Other conditions	
Nutritional diseases	D50-D53, E00-E02, E40-E46, E50-E56, E59-E61, E63, E64, X53-X54
Congenital anomalies	Q00-Q07, Q10-18, Q20-Q28, Q30-Q45, Q50-56, Q60-Q87, Q89-Q93, Q95, Q96-Q99
Non Communicable diseases	
Other noncommunicable diseases	
Other noncommunicable diseases	C00-C97, D01-D48, D55-D89, E03-E35, E65-E90, F00-F99, G10-G99, H00-H06, H11-H59, H61-H62, H69, H72-H95, I00-I28, I31, I34-I38, I42-I99, J30, J31, J33-J35, J37-J47, J60, J64, J66-J70, J80-J82, J84, J90-J99, K00-K01, K03, K06-K60, K62-K63, K70-K80, K82-K93, L05, L10-L99, M02-M54, M61-M85, M87-M99, N00-N08, N11-N29, N31-N33, N35-N40, N42-N48, N50-N51, N60, N62-N64, N75-N99, P04, P08, P51, P53-P60, P70-P72, P74-P76, P78, P80-P83, P92-P94, R00, R01, R03-R05, R06, R11-R23, R26, R27, R29-R49, R55-R56, R59, R63, R70-R74, R76-R77, R80-R82, R84-R87, R90-R91
Injuries	
Injuries	
Injuries	S00-S99, T00-T98, V01-V99, W00-W99, X00-X52, X57-X99, Y00-Y91, Y97-Y98.
Ill-defined conditions	
Ill defined or cause unknown	
Ill defined or cause unknown	P96, R02, R07, R09, R25, R51-R54, R57-R58, R60-R62, R64, R68, R69, R78, R79, R83, R89, R92-R99

ANNEXURE-3

Classification List- 1 (Deaths in age 5 year and above)

Disease	ICD 10 range
Communicable, maternal, perinatal and nutritional conditions	
Tuberculosis	A15-A19,B90,J65
HIV/AIDS	B20-B24,C46,D84,R75
Diarrhoeal diseases	A00-A09
Malaria	B50-B54
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04
Acute bacterial sepsis & severe Infections	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89
Other infectious and parasitic diseases	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95
Maternal conditions	O00-O99,A34,F53
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96**
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54
Fever of unknown origin	R50
Non-communicable diseases	
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59
Diabetes mellitus	E10-E14
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91
Digestive diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91
Genito-urinary diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87
Congenital anomalies	Q00-Q99
Other Non-Communicable Diseases	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61
	M99,R20-R23,R70-R74,R76-R77,R81
Injuries	
Unintentional injuries: Motor Vehicle Accidents	V01-V89
Unintentional injuries: Other Than Motor Vehicle Accidents	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89
Intentional injuries: Suicide	X60-X84
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98
Symptoms, signs and ill-defined conditions	
Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99

Note: ** R96 - Sudden deaths are in 'perinatal conditions' (when age<1 year),in 'Cardiovascular diseases' (when age>30 year) and else in 'ill-defined conditions'