

**CAUSES OF DEATH  
IN  
INDIA  
2004-2006**

## LIST OF TABLES

### Table Description

Statement	Table Description
	<b>Sample Particulars</b>
Statement 1	Number of Sample Units & Population Covered under SRS: India, States and Union Territories 2005
Statement 2	Distribution of Deaths by EAG States & Assam and Other States by Age Group: Comparison of Percentage of Deaths in Verbal autopsy (2004-06) and Sample Registration System (SRS-2004-2006)
	<b>Overall Causes of Death Distribution</b>
Statement 1.3A	Distribution of Deaths in India : 2004 -2006 Person
Statement 1.3B	Distribution of Deaths in India : 2004-2006 Male
Statement 1.3C	Distribution of Deaths in India : 2004-2006 Female
	<b>Major Cause Groups</b>
Statement 2.1A	Distribution Of Deaths by Major Cause Groups in India 2004-2006
Statement 2.1 B	Distribution Of Deaths by Major Cause Groups in India :2004-2006;EAG States & Assam and Other States
Statement 2.1 C	Distribution Of Deaths by Major Cause Groups in India : 2004-2006;Rural and Urban Areas
	<b>Deaths by age and gender</b>
Statement 2.2A	Distribution Of Deaths by age and gender in India :2004-2006
Statement 2.2B	Distribution Of Deaths by age and gender in India ,2004-2006;EAG States & Assam and Other States
Statement 2.2C	Distribution Of Deaths by age and gender in India,2004-2006;Rural & Urban Areas
	<b>Top 10 causes All ages</b>
Statement 2.3A	Top 10 Causes of Death in India(all ages as %): 2004-2006
Statement 2.3B	Top 10 Causes of Death in India(all ages as %): 2004-2006 EAG States & Assam and Other States
Statement 2.3C	Top 10 Causes of Death in India(all ages as %): 2004-2006 Rural & Urban Areas
	<b>Age &lt;29 days</b>
Statement 3.1 A	Top 10 Causes of Death in age below 29 days (% total death ): 2004-2006
Statement 3.1B	Top 10 Causes of Death in age below 29 days (% total death ): 2004-2006 : EAG States & Assam and Other States
Statement 3.1C	Top 10 Causes of Death in age below 29 days (% total death ): 2004-2006 Rural and Urban Areas
	<b>Age below 1 year</b>
Statement 3.2A	Top 10 Causes of Death in age below 1 year (% total death ))2004-06 All India
Statement 3.2B	Top 10 Causes of Death in age below 1 year (% total death )2004-06 EAG States & Assam And Other States
Statement 3.2C	Top 10 Causes of Death in age below 1 year (% total death ))2004-06 Rural & Urban Areas
	<b>Age 1-4 years</b>
Statement 3.3A	Top 10 Causes of Death in age 1- 4year (% total death ): 2004-2006 All India
Statement 3.3B	Top 10 Causes of Death in age 1- 4year (% total death ): 2004-2006 EAG States & Assam And Other States
Statement 3.3C	Top 10 Causes of Death in age 1- 4year (% total death ): 2004-2006 Rural & Urban Areas
	<b>Age 0-4 years</b>
Statement 3.4A	Top 10 Causes of Death in age below 0 to 4 years (% total death ): 2004-2006 All India
Statement 3.4B	Top 10 Causes of Death in age below 0 to 4 years (% total death ): 2004-2006 EAG States & Assam And Other States
Statement 3.4C	Top 10 Causes of Death in age below 0 to 4 years (% total death ): 2004-2006 Rural & Urban Areas
	<b>Age 5-14 years</b>
Statement 3.5A	Top 10 Causes of Death in age 5-14 years (% total death ): 2004-2006 All India
Statement 3.5B	Top 10 Causes of Death in age 5-14 years (% total death ): 2004-2006 EAG States & Assam And Other States
Statement 3.5C	Top 10 Causes of Death in age 5-14 years (% total death ): 2004-2006 Rural & Urban Areas
	<b>Age 15- 29 years</b>
Statement 3.6A	Top 10 Causes of Death in age 15-29 years (% total death ): 2004-2006 All India
Statement 3.6B	Top 10 Causes of Death in age 15-29 years (% total death ): 2004-2006 EAG States & Assam And Other States
Statement 3.6C	Top 10 Causes of Death in age 15-29 years (% total death ): 2004-2006 Rural & Urban Areas
	<b>Age 30-69 years</b>
Statement 3.7A	Top 10 Causes of Death in age 30-69 years (% total death ): 2004-2006 All India
Statement 3.7B	Top 10 Causes of Death in age 30-69 years (% total death ): 2004-2006; EAG States & Assam And Other States
Statement 3.7C	Top 10 Causes of Death in age 30-69 years (% total death ): 2004-2006; Rural & Urban Areas
	<b>Age 70+ years</b>
Statement 3.8A	Top 10 Causes of Death in age 70 years and over adults (% total death ): 2004-2006 All India
Statement 3.8B	Top 10 Causes of Death in age 70 years and over adults (% total death ): 2004-2006 EAG States & Assam And Other States
Statement 3.8C	Top 10 Causes of Death in age 70 years and over adults (% total death ): 2004-2006 Rural & Urban Areas
	<b>Mortality from Special Conditions</b>
Statement 4.1	Proportion of Deaths from Specific medical causes in India 2004-2006; All india
Statement 4.2	Proportion of Deaths from Specific medical causes in India :2004-2006;EAG States & Assam and Other States
Statement 4.3	Proportion of Deaths from Specific medical causes in India :2004-2006; Rural & Urban Areas

## Table Description

---

### Top 10 causes All ages- Major Regions

Statement 7.1 A	Top 10 Causes of Death (All Ages as %): 2004-2006; Major Region- North : (Chandigarh, Delhi, Haryana, Himachal Pradesh, Jammu & Kashmir, Punjab and Uttarakhand)
Statement 7.1 B	Top 10 Causes of Death (All Ages as %): 2004-2006; Major Region- North East : (Arunachal Pradesh, Assam, Manipur, Meghalaya, Mizoram, Nagaland, Sikkim and Tripura)
Statement 7.1 C	Top 10 Causes of Death (All Ages as %): 2004-2006; Major Region- East : (Bihar, Jharkhand, Orissa and West Bengal)
Statement 7.1 D	Top 10 Causes of Death (All Ages as %): 2004-2006; Major Region- Central : (Chattisgarh, Madhya Pradesh, Rajasthan and Uttar Pradesh)
Statement 7.1 E	Top 10 Causes of Death (All Ages as %): 2004-2006; Major Region- West : (Dadra & Nagar Haveli, Daman & Diu, Goa, Gujarat and Maharashtra)
Statement 7.1 F	Top 10 Causes of Death (All Ages as %): 2004-2006; Major Region- South : (Andhra Pradesh, Andaman & Nicobar Islands, Karnataka, Kerala, Lakshadweep, Puducherry and Tamil Nadu)

### Top 10 causes All ages-Major Regions

Statement 7.2A	Distribution of Deaths by Age and Gender, 2004-2006; Major Region- North : (Chandigarh, Delhi, Haryana, Himachal Pradesh, Jammu & Kashmir, Punjab and Uttarakhand)
Statement 7.2B	Distribution of Deaths by Age and Gender, 2004-2006; Major Region- North East : (Arunachal Pradesh, Assam, Manipur, Meghalaya, Mizoram, Nagaland, Sikkim and Tripura)
Statement 7.2C	Distribution of Deaths by Age and Gender, 2004-2006; Major Region- East : (Bihar, Jharkhand, Orissa and West Bengal)
Statement 7.2D	Distribution of Deaths by Age and Gender, 2004-2006; Major Region- Central : (Chattisgarh, Madhya Pradesh, Rajasthan and Uttar Pradesh)
Statement 7.2E	Distribution of Deaths by Age and Gender, 2004-2006; Major Region- West : (Dadra & Nagar Haveli, Daman & Diu, Goa, Gujarat and Maharashtra)
Statement 7.2F	Distribution of Deaths by Age and Gender, 2004-2006; Major Region- South : (Andhra Pradesh, Andaman & Nicobar Islands, Karnataka, Kerala, Lakshadweep, Puducherry and Tamil Nadu)

### Annexures

Annexure 1	Classification List 2
Annexure 2	Classification List 3

## Statement 1

## Number of Sample Units &amp; Population Covered under SRS: India, States and Union Territories 2005

S.No.	States/UTs	Number of Sample Units			Population Covered (in '000)		
		Total	Rural	Urban	Total	Rural	Urban
	<b>India</b>	7597	4433	3164	6830	3513	3318
	<b>Bigger States</b>						
1	Andhra Pradesh	375	235	140	394	199	195
2	Assam	300	90	210	195	101	94
3	Bihar	330	200	130	334	175	159
4	Gujarat	365	215	150	351	181	170
5	Haryana	210	100	110	202	108	94
6	Karnataka	480	330	150	431	216	215
7	Kerala	250	150	100	333	161	172
8	Madhya Pradesh	340	220	120	305	159	146
9	Maharashtra	485	250	235	398	204	194
10	Orissa	405	290	115	324	163	161
11	Punjab	250	150	100	235	124	111
12	Rajasthan	350	250	100	317	166	151
13	Tamil Nadu	465	250	215	448	225	223
14	Uttar Pradesh	500	350	150	537	284	253
15	West Bengal	555	310	245	555	286	269
	<b>Smaller States</b>						
1	Arunachal Pradesh	60	45	15	30	16	15
2	Chhattisgarh	130	40	90	99	51	48
3	Goa	85	43	42	76	38	38
4	Himachal Pradesh	190	140	50	92	46	46
5	Jammu & Kashmir	260	150	110	213	111	102
6	Jharkhand	170	60	110	112	59	53
7	Manipur	150	110	40	129	65	64
8	Meghalaya	120	90	30	61	30	30
9	Mizoram	40	20	20	29	15	15
10	Nagaland	45	33	12	36	19	17
11	Sikkim	60	45	15	57	29	27
12	Tripura	80	60	20	102	52	50
13	Uttarakhand	150	100	50	108	56	52
	<b>Union Territories</b>						
1	Andaman & Nicobar Islands	50	34	16	33	17	16
2	Chandigarh	35	5	30	30	17	13
3	Dadra & Nagar Haveli	30	22	8	37	20	17
4	Daman & Diu	20	13	7	26	15	12
5	Delhi	200	10	190	142	77	65
6	Puducherry	50	17	33	44	22	22
7	Lakshadweep	12	6	6	14	7	7

**Statement 2 : Distribution of Deaths by EAG States & Assam and Other States by Age Group: Comparison of Percentage of Deaths in Verbal autopsy (2004-06) and Sample Registration System (SRS-2004-2006)**

Age Group	EAG States & Assam		Others	
	SRS	VA	SRS	VA
0-4	28.9	29.6	14.3	13.1
5-14	4.9	4.9	2.5	2.3
15-29	7.3	6.7	7.0	6.8
30-34	2.5	2.4	2.8	2.7
35-44	5.5	5.4	6.9	6.8
45-54	7.2	7.1	9.4	9.4
55-69	19.6	19.4	23.6	23.9
70+	24.2	24.6	33.5	34.9

**Statement 1.3A - Distribution of Deaths in India : 2004 -2006 Person**

CAUSE OF DEATH	FINAL ICD CODES	PERSON	Age Group (% of Deaths)							Total
			0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	6705	0.4	2.8	7.3	11.9	10.0	6.9	3.4	5.2
HIV/AIDS	B20-B24,C46,D84,R75	571	0.0	0.2	1.6	2.8	0.5	0.1	0.0	0.4
Diarrhoeal diseases	A00-A09	9254	11.0	14.7	5.5	3.4	3.6	5.4	7.6	7.1
Malaria	B50-B54	3223	2.3	8.6	4.1	2.5	2.3	2.3	1.8	2.5
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	858	0.2	1.3	0.7	0.7	0.6	0.8	0.7	0.7
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04	7021	18.3	6.9	1.0	1.1	1.2	2.0	3.0	5.4
	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	1805	4.5	1.0	0.5	0.9	0.7	0.6	0.5	1.4
Acute bacterial sepsis & severe Infections	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	4159	7.1	15.8	5.2	3.3	2.3	1.2	0.7	3.2
Other infectious and parasitic diseases	P00-P22,P24-P29,P50-P96,R95,R96**	9764	38.8	0.1	0.0	0.0	0.0	0.0	0.0	7.5
Perinatal conditions	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	1078	2.5	1.3	0.7	0.5	0.3	0.4	0.3	0.8
Nutritional deficiencies	R50	3005	2.1	4.3	1.8	1.6	1.5	2.2	2.9	2.3
Fever of unknown origin										
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59	8190	0.4	3.4	4.8	9.5	13.5	10.2	4.9	6.3
Diabetes mellitus	E10-E14	1984	0.0	0.2	0.6	1.0	2.1	2.5	2.1	1.5
	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	1796	0.9	3.0	3.6	2.3	1.4	1.3	0.8	1.4
Neuro-psychiatric conditions	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	25825	0.1	1.6	7.5	17.1	27.4	32.3	26.8	19.9
Cardiovascular diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	9680	0.4	0.6	1.0	2.9	6.0	11.8	12.6	7.5
Respiratory diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91	6220	1.5	5.5	7.0	9.5	8.8	5.9	3.0	4.8
Digestive diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87	3157	0.3	1.2	2.3	3.2	3.6	3.4	2.7	2.4
Genito-urinary diseases	Q00-Q99	1190	4.0	1.9	0.8	0.2	0.0	0.0	0.0	0.9
Congenital anomalies										
	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	807	0.5	0.9	0.6	0.5	0.5	0.7	0.7	0.6
Other Non-Communicable Diseases										
Injuries										
Unintentional injuries: Motor Vehicle Accidents	V01-V89	2857	0.4	4.0	9.8	6.2	3.4	1.4	0.6	2.2
Unintentional injuries: Other Than Motor Vehicle Accidents	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	6699	3.0	15.8	11.3	7.2	4.9	3.8	4.5	5.2
Intentional injuries: Suicide	X60-X84	3105	0.0	1.6	15.8	7.8	2.9	1.0	0.3	2.4
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36	573	0.1	0.6	2.0	1.5	0.6	0.2	0.1	0.4
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98	209	0.1	0.5	0.8	0.5	0.2	0.1	0.0	0.2
Symptoms, signs and ill-defined conditions										
Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99	9839	0.9	2.3	2.4	1.7	1.7	3.4	19.8	7.6
<b>Total</b>		<b>129703</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Include Senility

Deaths under Maternal Conditions are not disseminated at present.

**Statement 1.3B - Distribution of Deaths in India : 2004-2006 Male**

CAUSE OF DEATH	FINAL ICD CODES	MALE	Age Group (% of Deaths)							Total
			0-4	5-14	15-29	30-44	45-54	55-69	70+	
Communicable, maternal, perinatal and nutritional conditions										
Tuberculosis	A15-A19,B90,J65	4492	0.4	1.9	7.2	12.4	11.2	8.2	4.3	6.2
HIV/AIDS	B20-B24,C46,D84,R75	393	0.0	0.3	1.7	3.1	0.6	0.1	0.0	0.5
Diarrhoeal diseases	A00-A09	4194	9.6	12.9	4.4	2.7	3.1	4.3	6.1	5.7
Malaria	B50-B54	1611	2.0	8.3	3.9	2.2	2.1	1.9	1.7	2.2
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	468	0.2	1.2	0.7	0.7	0.6	0.8	0.7	0.6
Respiratory infections	H65-H68,H70-H71,J00-J22,J32,J36,J85-J86,P23,U04	3563	17.7	6.0	0.7	1.0	1.2	1.7	3.0	4.9
Acute bacterial sepsis & severe Infections	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	956	4.6	0.7	0.4	0.9	0.5	0.6	0.6	1.3
Other infectious and parasitic diseases	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	2180	6.7	15.2	4.5	3.0	2.2	1.3	0.7	3.0
Perinatal conditions	P00-P22,P24-P29,P50-P96,R95,R96	5409	41.4	0.2	0.0	0.0	0.0	0.0	0.0	7.4
Nutritional deficiencies	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	453	2.2	1.2	0.3	0.2	0.2	0.2	0.3	0.6
Fever of unknown origin	R50	1378	1.9	3.9	1.4	1.3	1.2	1.6	2.5	1.9
Non-communicable diseases										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59	4347	0.4	3.7	4.7	6.6	10.1	9.6	5.3	6.0
Diabetes mellitus	E10-E14	1081	0.0	0.2	0.5	0.9	1.9	2.3	2.2	1.5
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	942	1.0	3.2	3.5	1.8	1.2	1.1	0.8	1.3
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	15703	0.2	1.5	8.1	18.2	28.8	33.8	28.7	21.5
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	5725	0.4	0.6	0.9	2.5	5.6	11.9	14.3	7.8
Digestive diseases	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91	4110	1.5	5.4	7.0	11.6	10.5	6.5	3.4	5.6
Genito-urinary diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87	1963	0.3	1.3	2.0	2.8	3.4	3.6	3.4	2.7
Congenital anomalies	Q00-Q99	670	4.4	1.9	0.8	0.2	0.0	0.0	0.0	0.9
Other Non-Communicable Diseases	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	392	0.4	1.2	0.5	0.2	0.3	0.6	0.7	0.5
Injuries										
Unintentional injuries: Motor Vehicle Accidents	V01-V89	2363	0.4	5.3	15.5	8.4	4.4	1.8	0.9	3.2
Unintentional injuries: Other Than Motor Vehicle	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	3859	3.3	18.5	12.8	7.4	5.2	3.6	4.1	5.3
Accidents	X60-X84	1805	0.0	1.3	12.8	7.9	3.3	1.3	0.4	2.5
Intentional injuries: Suicide	X85-Y09,Y35,Y36	439	0.1	0.8	2.7	2.0	0.8	0.3	0.1	0.6
Intentional injuries: Other Than Suicide	Y10-Y14,Y16-Y34,Y96-Y98	137	0.0	0.6	0.9	0.5	0.2	0.1	0.0	0.2
Symptoms, signs and ill-defined conditions										
Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99	4335	0.9	2.8	2.1	1.5	1.4	2.8	16.0	5.9
<b>Total</b>		<b>72968</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Include Senility

**Statement 1.3C - Distribution of Deaths in India : 2004 - 2006 Female**

CAUSE OF DEATH	FINAL ICD CODES	FEMALE	Age Group (% of Deaths)							Total
			0-4	5-14	15-29	30-44	45-54	55-69	70+	
<b>Communicable, maternal, perinatal and nutritional conditions</b>										
Tuberculosis	A15-A19,B90,J65	2213	0.5	3.8	7.6	11.0	7.9	4.9	2.5	3.9
HIV/AIDS	B20-B24,C46,D84,R75	178	0.0	0.1	1.6	2.1	0.3	0.1	0.0	0.3
Diarrhoeal diseases	A00-A09	5060	12.4	16.6	6.9	4.7	4.5	6.9	9.3	8.9
Malaria	B50-B54	1612	2.7	8.9	4.4	3.2	2.7	2.9	1.9	2.8
Selected tropical diseases	A30,A71,A90-A99,B55-B58,B60-B83,B92	390	0.3	1.3	0.8	0.8	0.6	0.9	0.7	0.7
Respiratory infections	H65-H68,H70-H71,I00-J22,J32,J36,J85-J86,P23,U04	3458	18.9	7.7	1.4	1.3	1.3	2.3	3.0	6.1
	A20-A28,A32,A38,A40-A49,A68,A70,A74-A79,B95-B96,H10,H60,I30,I32-I33,I39-I41,K02,K04-K05,K61,K65,K67,K81,L00-L04,L08,M00-M01,M60,M86,N10,N30,N34,N41,N49,N61,P36-P39,U80-U89	849	4.5	1.3	0.6	0.9	0.9	0.7	0.5	1.5
Acute bacterial sepsis & severe Infections	A31,A33,A35-A37,A39,A50-A67,A69,A80-A89,B00,B01-B09,B15-B17,B19,B25-B49,B59,B85-B89,B91,B94,B97-B99,G00-G09,N70-N74,P35,Y95	1979	7.5	16.4	6.1	3.9	2.4	1.2	0.6	3.5
Other infectious and parasitic diseases	P00-P22,P24-P29,P50-P96,R95,R96**	4355	36.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7
Perinatal conditions	D50-D53,D64,E00-E02,E40-E46,E50-E64,X53-X54	625	2.8	1.4	1.2	1.1	0.5	0.6	0.4	1.1
Nutritional deficiencies	R50	1627	2.2	4.7	2.3	2.3	2.0	3.1	3.3	2.9
Fever of unknown origin										
<b>Non-communicable diseases</b>										
Malignant and other Neoplasms	C00-C45,C47-C97,D00-D48,N60,N62-N64,N87,R59	3843	0.4	3.1	5.0	15.0	19.6	11.1	4.6	6.8
Diabetes mellitus	E10-E14	903	0.0	0.1	0.6	1.2	2.5	2.9	2.0	1.6
Neuro-psychiatric conditions	F00-F09,F11-F52,F54-F99,G10-G44,G47-G80,G90-G99,R26-R29,R40-R49,R56,R90	854	0.9	2.8	3.8	3.1	1.9	1.6	0.8	1.5
Cardiovascular diseases	G45-G46,G81-G83,I00-I28,I31,I34-I38,I42-I84,I86-I99,R00-R01,R03,R55,R96**	10122	0.1	1.7	6.8	14.9	24.8	30.1	24.7	17.8
Respiratory diseases	J30-J31,J33-J35,J37-J64,J66-J84,J90-J99,R04-R06,R84,R91	3955	0.4	0.6	1.2	3.8	6.6	11.7	10.8	7.0
	B18,F10,I85,K20-K60,K62-K63,K66,K70-K80,K82-K93,R10-R19,R63,R85,X45,Y15,Y90,Y91	2110	1.6	5.5	6.9	5.6	5.7	5.1	2.6	3.7
Digestive diseases	N00-N08,N11-N29,N31-N33,N35-N40,N42-N48,N50-N51,N75-N86,N88-N99,R30-R39,R80,R82,R86,R87	1194	0.2	1.0	2.7	3.9	3.9	3.2	1.9	2.1
Genito-urinary diseases	Q00-Q99	520	3.6	1.9	0.8	0.2	0.1	0.0	0.0	0.9
Congenital anomalies	D55-D63,D65-D83,D86-D89,E03-E07,E15-E16,E20-E35,E65-E90,H00-H06,H11-H59,H61-H62,H69,H72-H95,K00-K01,K03,K06-K14,L05,L10-L99,M02-M54,M61-M85,M87-M99,R20-R23,R70-R74,R76-R77,R81	415	0.6	0.6	0.7	0.9	0.8	0.9	0.7	0.7
Other Non-Communicable Diseases										
<b>Injuries</b>										
Unintentional injuries: Motor Vehicle Accidents	V01-V89	494	0.4	2.7	2.4	1.9	1.5	0.8	0.4	0.9
Unintentional injuries: Other Than Motor Vehicle Accidents	V90-V98,W00-W99,X00-X44,X46-X52,X57-X59,Y40-Y89	2840	2.7	13.0	9.5	6.6	4.4	4.0	5.0	5.0
Intentional injuries: Suicide	X60-X84	1300	0.0	2.0	19.7	7.6	2.1	0.6	0.2	2.3
Intentional injuries: Other Than Suicide	X85-Y09,Y35,Y36	134	0.1	0.5	1.1	0.7	0.5	0.1	0.0	0.2
Injuries of Undetermined Intent	Y10-Y14,Y16-Y34,Y96-Y98	72	0.1	0.3	0.7	0.4	0.1	0.0	0.0	0.1
<b>Symptoms, signs and ill-defined conditions</b>										
Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings *	R02,R07-R09,R25,R51-R54,R57-R58,R60-R62,R64-R69,R78-R79,R83,R89,R92-R94,R96**,R98-R99	5504	0.9	1.8	2.9	1.9	2.2	4.3	24.0	9.7
<b>Total</b>		<b>56735</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Include Senility

Deaths under Maternal Conditions are not disseminated at present.



## Statement 2.1A : Distribution Of Deaths by Major Cause Groups in India 2004-2006

Major cause groups	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
Communicable, maternal, perinatal and nutritional conditions	25097	34.4	22475	39.6	47572	36.7
Noncommunicable diseases	34933	47.9	23916	42.2	58849	45.4
Injuries	8603	11.8	4840	8.5	13443	10.4
Symptoms, signs and ill-defined conditions*	4335	5.9	5504	9.7	9839	7.6
<b>Total</b>	<b>72968</b>	<b>100.0</b>	<b>56735</b>	<b>100.0</b>	<b>129703</b>	<b>100.0</b>

Note: \* Includes Senility

**Statement 2.1 B: Distribution Of Deaths by Major Cause Groups in India :2004-2006;EAG  
States & Assam and Other States**

Major cause groups	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
<b>EAG States &amp; Assam</b>						
Communicable, maternal, perinatal and nutritional conditions	12790	47.3	11891	53.7	24681	50.2
Noncommunicable diseases	10233	37.9	7187	32.4	17420	35.4
Injuries	2564	9.5	1475	6.7	4039	8.2
Symptoms, signs and Ill-defined conditions	1442	5.3	1604	7.2	3046	6.2
Total	27029	100.0	22157	100.0	49186	100.0
<b>Other States</b>						
Communicable, maternal, perinatal and nutritional conditions	12307	26.8	10584	30.6	22891	28.4
Noncommunicable diseases	24700	53.8	16729	48.4	41429	51.5
Injuries	6039	13.1	3365	9.7	9404	11.7
Symptoms, signs and Ill-defined conditions	2893	6.3	3900	11.3	6793	8.4
Total	45939	100.0	34578	100.0	80517	100.0

**Statement 2.1 C: Distribution Of Deaths by Major Cause Groups in India : 2004-2006;Rural and Urban Areas**

Major cause groups	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
<b>Rural Area</b>						
Communicable, maternal, perinatal and nutritional conditions	20554	36.6	18582	42.1	39136	39.0
Noncommunicable diseases	25482	45.4	17525	39.7	43007	42.9
Injuries	6683	11.9	3746	8.5	10429	10.4
Symptoms, signs and Ill-defined conditions	3421	6.1	4256	9.6	7677	7.7
Total	56140	100.0	44109	100.0	100249	100.0
<b>Urban Area</b>						
Communicable, maternal, perinatal and nutritional conditions	4543	27.0	3893	30.8	8436	28.6
Noncommunicable diseases	9451	56.2	6391	50.6	15842	53.8
Injuries	1920	11.4	1094	8.7	3014	10.2
Symptoms, signs and Ill-defined conditions	914	5.4	1248	9.9	2162	7.3
Total	16828	100.0	12626	100.0	29454	100.0

**Statement 2.2A- Distribution Of Deaths by age and gender in India :2004-2006**

Age Group	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	10350	14.2	9009	15.9	19359	14.9
1-4	2702	3.7	3073	5.4	5775	4.5
0-4	13052	17.9	12082	21.3	25134	19.4
5-14	2132	2.9	2097	3.7	4229	3.3
15-29	4930	6.8	3847	6.8	8777	6.8
30-34	2105	2.9	1252	2.2	3357	2.6
35-44	5444	7.5	2711	4.8	8155	6.3
45-54	7172	9.8	3921	6.9	11093	8.6
55-69	17099	23.4	11693	20.6	28792	22.2
70+	21034	28.8	19132	33.7	40166	31.0
Total	72968	100.0	56735	100.0	129703	100.0

**Statement 2.2B - Distribution Of Deaths by age and gender in India ,2004-2006;EAG States & Assam and Other States**

Age Group	No of Deaths (%)											
	EAG States & Assam						Other States					
	Male	Male %	Female	Female %	Person	Person %	Male	Male %	Female	Female %	Person	Person %
0-1	5771	21.4	5063	22.9	10834	22.0	4579	10.0	3946	11.4	8525	10.6
1-4	1660	6.1	2054	9.3	3714	7.6	1042	2.3	1019	2.9	2061	2.6
0-4	7431	27.5	7117	32.1	14548	29.6	5621	12.2	4965	14.4	10586	13.1
5-14	1163	4.3	1239	5.6	2402	4.9	969	2.1	858	2.5	1827	2.3
15-29	1810	6.7	1487	6.7	3297	6.7	3120	6.8	2360	6.8	5480	6.8
30-34	685	2.5	476	2.1	1161	2.4	1420	3.1	776	2.2	2196	2.7
35-44	1681	6.2	980	4.4	2661	5.4	3763	8.2	1731	5.0	5494	6.8
45-54	2173	8.0	1322	6.0	3495	7.1	4999	10.9	2599	7.5	7598	9.4
55-69	5592	20.7	3954	17.8	9546	19.4	11507	25.0	7739	22.4	19246	23.9
70+	6494	24.0	5582	25.2	12076	24.6	14540	31.7	13550	39.2	28090	34.9
Total	27029	100.0	22157	100.0	49186	100.0	45939	100.0	34578	100.0	80517	100.0

**Statement 2.2C- Distribution Of Deaths by age and gender in India,2004-2006;Rural & Urban Areas**

Age Group	No of Deaths (%)											
	Rural Area						Urban Area					
	Male	Male %	Female	Female %	Person	Person %	Male	Male %	Female	Female %	Person	Person %
0-1	8620	15.4	7557	17.1	16177	16.1	1730	10.3	1452	11.5	3182	10.8
1-4	2309	4.1	2636	6.0	4945	4.9	393	2.3	437	3.5	830	2.8
0-4	10929	19.5	10193	23.1	21122	21.1	2123	12.6	1889	15.0	4012	13.6
5-14	1792	3.2	1746	4.0	3538	3.5	340	2.0	351	2.8	691	2.3
15-29	3783	6.7	3030	6.9	6813	6.8	1147	6.8	817	6.5	1964	6.7
30-34	1589	2.8	957	2.2	2546	2.5	516	3.1	295	2.3	811	2.8
35-44	3894	6.9	2050	4.6	5944	5.9	1550	9.2	661	5.2	2211	7.5
45-54	5135	9.1	2926	6.6	8061	8.0	2037	12.1	995	7.9	3032	10.3
55-69	12908	23.0	8860	20.1	21768	21.7	4191	24.9	2833	22.4	7024	23.8
70+	16110	28.7	14347	32.5	30457	30.4	4924	29.3	4785	37.9	9709	33.0
Total	56140	100.0	44109	100.0	100249	100.0	16828	100.0	12626	100.0	29454	100.0

### Statement 2.3A-Top 10 Causes of Death in India(all ages as %): 2004-2006

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	21.5	17.8	19.9
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	5.9	9.7	7.6
3	Perinatal conditions	7.4	7.7	7.5
4	Respiratory diseases	7.8	7.0	7.5
5	Diarrhoeal diseases	5.7	8.9	7.1
6	Malignant and other Neoplasms	6.0	6.8	6.3
7	Respiratory infections	4.9	6.1	5.4
8	Tuberculosis	6.2	3.9	5.2
9	Unintentional injuries: Other Than Motor Vehicle Accidents	5.3	5.0	5.2
10	Digestive diseases	5.6	3.7	4.8
	All Other Remaining Causes	23.6	23.4	23.5
	Total	100.0	100.0	100.0

Note: \* Includes Senility

**Statement 2.3B- Top 10 Causes of Death in India(all ages as %): 2004-2006 EAG States & Assam and Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Cardiovascular diseases	14.2	11.4	13.0
2	Diarrhoeal diseases	8.8	12.6	10.5
3	Perinatal conditions	10.2	9.9	10.1
4	Respiratory infections	7.7	9.4	8.5
5	Respiratory diseases	8.2	7.0	7.6
6	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings *	5.3	7.2	6.2
7	Tuberculosis	7.0	4.7	6.0
8	Digestive diseases	5.6	4.4	5.1
9	Other infectious and parasitic diseases	4.4	5.3	4.8
10	Unintentional injuries: Other Than Motor Vehicle Accidents	4.9	4.7	4.8
	All Other Remaining Causes	23.6	23.3	23.5
	Total	100.0	100.0	100.0
<b>Other States</b>				
1	Cardiovascular diseases	25.8	22.0	24.2
2	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings *	6.3	11.3	8.4
3	Malignant and other Neoplasms	7.0	8.1	7.5
4	Respiratory diseases	7.7	7.0	7.4
5	Perinatal conditions	5.8	6.2	6.0
6	Unintentional injuries: Other Than Motor Vehicle Accidents	5.5	5.2	5.4
7	Diarrhoeal diseases	4.0	6.6	5.1
8	Tuberculosis	5.7	3.4	4.7
9	Digestive diseases	5.6	3.3	4.6
10	Respiratory infections	3.2	4.0	3.5
	All Other Remaining Causes	23.5	23.0	23.3
	Total	100.0	100.0	100.0

Note: \* Includes Senility



**Statement 2.3C- Top 10 Causes of Death in India(all ages as %): 2004-2006 Rural & Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Cardiovascular diseases	19.48	16.11	18.0
2	Perinatal conditions	7.88	8.27	8.1
3	Respiratory diseases	8.29	7.21	7.8
4	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	6.09	9.65	7.7
5	Diarrhoeal diseases	6.17	9.43	7.6
6	Malignant and other Neoplasms	5.58	6.47	6.0
7	Respiratory infections	5.37	6.52	5.9
8	Tuberculosis	6.30	4.03	5.3
9	Unintentional injuries: Other Than Motor Vehicle Accidents	5.46	4.98	5.2
10	Digestive diseases	5.46	3.68	4.7
	All Other Remaining Causes	23.91	23.65	23.8
	<b>Total</b>	<b>100</b>	<b>100</b>	<b>100.0</b>
<b>Urban Area</b>				
1	Cardiovascular diseases	28.33	23.90	26.4
2	Malignant and other Neoplasms	7.23	7.83	7.5
3	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	5.43	9.88	7.3
4	Respiratory diseases	6.35	6.12	6.3
5	Perinatal conditions	5.85	5.59	5.7
6	Diarrhoeal diseases	4.33	7.13	5.5
7	Digestive diseases	6.19	3.86	5.2
8	Unintentional injuries: Other Than Motor Vehicle Accidents	4.73	5.09	4.9
9	Tuberculosis	5.68	3.45	4.7
10	Respiratory infections	3.26	4.61	3.8
	All Other Remaining Causes	22.62	22.53	22.6
	<b>Total</b>	<b>100</b>	<b>100</b>	<b>100.0</b>

Note: \* Includes Senility

**Statement 3.1 A- Top 10 Causes of Death in age below 29 days (% total death ): 2004-2006**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Prematurity & low birthweight	36.41	38.57	37.4
2	Birth asphyxia & birth trauma	17.61	16.34	17.0
3	Neonatal Pneumonia	12.43	12.81	12.6
4	Ill defined or cause unknown	8.67	7.02	7.9
5	Other noncommunicable diseases	6.92	6.74	6.8
6	Sepsis	6.69	6.92	6.8
7	Congenital anomalies	4.68	4.19	4.5
8	Diarrhoeal diseases	2.94	3.68	3.3
9	Tetanus	2.11	1.90	2.0
10	Injuries	0.41	0.77	0.6
	All Other Remaining Causes	1.13	1.05	1.1
	Total	100	100	100.0

**Note: Table based on Classification list 2 (See Annexure 1)**

**Statement 3.1B-Top 10 Causes of Death in age below 29 days (% total death) : 2004-2006 : EAG States & Assam and Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Prematurity & low birthweight	33.25	35.65	34.3
2	Neonatal Pneumonia	16.19	16.69	16.4
3	Birth asphyxia & birth trauma	15.23	15.07	15.2
4	Ill defined or cause unknown	9.36	7.08	8.3
5	Sepsis	7.35	7.58	7.5
6	Other noncommunicable diseases	6.95	6.19	6.6
7	Diarrhoeal diseases	3.72	4.25	4.0
8	Tetanus	3.53	3.18	3.4
9	Congenital anomalies	2.96	2.57	2.8
10	Injuries	0.33	0.74	0.5
	All Other Remaining Causes	1.12	1.00	1.1
	<b>Total</b>	<b>100</b>	<b>100</b>	<b>100.0</b>
<b>Other States</b>				
1	Prematurity & low birthweight	40.27	42.09	41.1
2	Birth asphyxia & birth trauma	20.51	17.88	19.3
3	Neonatal Pneumonia	7.86	8.12	8.0
4	Ill defined or cause unknown	7.83	6.94	7.4
5	Other noncommunicable diseases	6.90	7.41	7.1
6	Congenital anomalies	6.78	6.16	6.5
7	Sepsis	5.88	6.13	6.0
8	Diarrhoeal diseases	1.98	2.99	2.4
9	Injuries	0.49	0.82	0.6
10	Meningitis/encephalitis	0.32	0.53	0.4
	All Other Remaining Causes	1.19	0.93	1.1
	<b>Total</b>	<b>100</b>	<b>100</b>	<b>100.0</b>

**Note: Table based on Classification list 2 (See Annexure 1)**

**Statement 3.1C-Top 10 Causes of Death in age below 29 days (% total death ):  
2004-2006 Rural and Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Prematurity & low birthweight	36.2	37.9	36.9
2	Birth asphyxia & birth trauma	17.3	16.5	16.9
3	Neonatal Pneumonia	13.2	13.0	13.1
4	Ill defined or cause unknown	8.6	6.9	7.9
5	Sepsis	7.0	7.3	7.1
6	Other noncommunicable diseases	6.6	6.6	6.6
7	Congenital anomalies	4.3	4.0	4.2
8	Diarrhoeal diseases	3.0	3.9	3.4
9	Tetanus	2.3	2.1	2.2
10	Injuries	0.4	0.8	0.6
	All Other Remaining Causes	1.1	1.0	1.1
	Total	100.0	100.0	100.0
<b>Urban Area</b>				
1	Prematurity & low birthweight	37.6	42.5	39.7
2	Birth asphyxia & birth trauma	19.1	15.7	17.7
3	Neonatal Pneumonia	8.8	11.7	10.0
4	Ill defined or cause unknown	9.0	7.4	8.3
5	Other noncommunicable diseases	8.4	7.4	8.0
6	Congenital anomalies	6.7	5.1	6.0
7	Sepsis	4.9	5.0	5.0
8	Diarrhoeal diseases	2.7	2.7	2.7
9	Tetanus	1.3	1.0	1.2
10	Injuries	0.4	0.4	0.4
	All Other Remaining Causes	1.2	1.1	1.1
	Total	100.0	100.0	100.0

**Note: Table based on Classification list 2 (See Annexure 1)**

**Statement 3.2A-Top 10 Causes of Death in age below 1 year (% total death)2004-06 All India**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	27.4	27.2	27.3
2	Pneumonia	17.7	18.9	18.3
3	Birth asphyxia & birth trauma	13.2	11.4	12.4
4	Diarrhoeal diseases	7.0	8.7	7.8
5	Other noncommunicable diseases	7.5	7.0	7.3
6	Ill defined or cause unknown	7.4	6.0	6.8
7	Acute bacterial sepsis and severe infections	5.2	5.3	5.2
8	Congenital anomalies	4.8	4.1	4.5
9	Nutritional diseases	1.6	2.0	1.8
10	Tetanus	1.8	1.5	1.7
	All Other Remaining Causes	6.4	7.8	7.1
	Total	100.0	100.0	100.0

**Note: Table based on Classification list 3 (See Annexure 2)**

**Statement 3.2B-Top 10 Causes of Death in age below 1 year (% total death)2004-06  
EAG States & Assam And Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Prematurity & low birth weight	24.6	24.3	24.4
2	Pneumonia	21.1	22.8	21.9
3	Birth asphyxia & birth trauma	11.3	10.2	10.8
4	Diarrhoeal diseases	8.2	9.8	9.0
5	Ill defined or cause unknown	7.9	5.9	6.9
6	Other noncommunicable diseases	7.1	6.5	6.8
7	Acute bacterial sepsis and severe infections	5.5	5.5	5.5
8	Tetanus	3.0	2.5	2.8
9	Congenital anomalies	2.9	2.3	2.6
10	Nutritional diseases	2.0	2.6	2.3
	All Other Remaining Causes	6.5	7.8	7.1
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Other States</b>				
1	Prematurity & low birth weight	30.9	31.0	31.0
2	Birth asphyxia & birth trauma	15.5	13.0	14.4
3	Pneumonia	13.3	14.0	13.7
4	Other noncommunicable diseases	8.0	7.7	7.9
5	Congenital anomalies	7.3	6.4	6.9
6	Ill defined or cause unknown	6.9	6.1	6.5
7	Diarrhoeal diseases	5.4	7.4	6.3
8	Acute bacterial sepsis and severe infections	4.7	4.9	4.8
9	Injuries	1.7	1.9	1.8
10	Meningitis/encephalitis	1.0	1.7	1.3
	All Other Remaining Causes	5.0	5.8	5.4
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Note: Table based on Classification list 3 (See Annexure 2)**

**statement 3.2C-Top 10 Causes of Death in age below 1 year (% total death)2004-06 Rural & Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Prematurity & low birth weight	27.1	27.0	27.0
2	Pneumonia	18.4	19.2	18.7
3	Birth asphyxia & birth trauma	12.8	11.6	12.3
4	Diarrhoeal diseases	7.1	8.8	7.9
5	Other noncommunicable diseases	7.2	7.0	7.1
6	Ill defined or cause unknown	7.4	5.9	6.7
7	Acute bacterial sepsis and severe infections	5.4	5.4	5.4
8	Congenital anomalies	4.3	3.9	4.1
9	Nutritional diseases	1.7	2.0	1.8
10	Tetanus	1.9	1.6	1.8
	All Other Remaining Causes	6.7	7.8	7.2
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Urban Area</b>				
1	Prematurity & low birth weight	28.8	28.4	28.6
2	Pneumonia	14.2	17.7	15.8
3	Birth asphyxia & birth trauma	15.0	10.3	12.9
4	Other noncommunicable diseases	9.1	7.4	8.3
5	Diarrhoeal diseases	6.2	8.5	7.3
6	Ill defined or cause unknown	7.5	6.5	7.0
7	Congenital anomalies	7.5	5.3	6.5
8	Acute bacterial sepsis and severe infections	4.2	4.5	4.3
9	Nutritional diseases	1.3	2.3	1.7
10	Injuries	1.1	2.3	1.7
	All Other Remaining Causes	5.1	6.8	5.9
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Note: Table based on Classification list 3 (See Annexure 2)**

**Statement 3.3A: Top 10 Causes of Death in age 1- 4year (% total death ):  
2004-2006 All India**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Diarrhoeal diseases	19.6	23.3	21.6
2	Pneumonia	18.1	19.1	18.6
3	Injuries	13.0	8.3	10.5
4	Other noncommunicable diseases	10.0	8.5	9.2
5	Malaria	6.4	7.6	7.0
6	Other infectious and parasitic diseases	6.1	5.1	5.6
7	Meningitis/encephalitis	5.5	5.3	5.4
8	Fever of unknown origin	4.3	4.8	4.6
9	Measles	4.2	4.9	4.6
10	Nutritional diseases	3.5	4.5	4.0
	All Other Remaining Causes	9.3	8.6	9.0
	Total	100.0	100.0	100.0

**Note: Table based on Classification list 3 (See Annexure 2)**



**Statement 3.3B: Top 10 Causes of Death in age 1- 4year (% total death ): 2004-2006 EAG States & Assam And Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Diarrhoeal diseases	22.7	26.1	24.6
2	Pneumonia	19.8	20.4	20.1
3	Other noncommunicable diseases	8.6	6.7	7.5
4	Injuries	9.5	5.8	7.5
5	Malaria	6.5	7.7	7.2
6	Other infectious and parasitic diseases	6.4	4.7	5.5
7	Measles	4.8	5.6	5.3
8	Meningitis/encephalitis	5.5	4.6	5.0
9	Fever of unknown origin	4.8	5.1	4.9
10	Nutritional diseases	4.3	5.3	4.8
	All Other Remaining Causes	7.2	8.0	7.7
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Other States</b>				
1	Diarrhoeal diseases	14.7	17.8	16.2
2	Injuries	18.6	13.3	16.0
3	Pneumonia	15.4	16.5	15.9
4	Other noncommunicable diseases	12.3	12.1	12.2
5	Malaria	6.1	7.3	6.7
6	Meningitis/encephalitis	5.5	6.7	6.1
7	Other infectious and parasitic diseases	5.6	6.1	5.8
8	Congenital anomalies	5.6	4.4	5.0
9	Fever of unknown origin	3.6	4.3	4.0
10	Measles	3.3	3.4	3.3
	All Other Remaining Causes	9.4	8.1	8.8
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Note: Table based on Classification list 3 (See Annexure 2)**

**Statement 3.3C: Top 10 Causes of Death in age 1- 4year (% total death ): 2004-2006 Rural & Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Diarrhoeal diseases	19.5	23.5	21.7
2	Pneumonia	19.0	19.0	19.0
3	Injuries	12.5	7.8	10.0
4	Other noncommunicable diseases	9.9	8.3	9.0
5	Malaria	6.3	8.1	7.3
6	Other infectious and parasitic diseases	6.1	5.3	5.7
7	Meningitis/encephalitis	5.2	5.3	5.2
8	Measles	4.3	5.0	4.7
9	Fever of unknown origin	4.4	4.9	4.6
10	Nutritional diseases	3.6	4.4	4.0
	All Other Remaining Causes	9.1	8.6	8.8
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Urban Area</b>				
1	Diarrhoeal diseases	20.1	22.2	21.2
2	Pneumonia	12.7	19.7	16.4
3	Injuries	16.0	11.4	13.6
4	Other noncommunicable diseases	10.7	9.6	10.1
5	Meningitis/encephalitis	7.1	5.3	6.1
6	Malaria	6.6	4.6	5.5
7	Other infectious and parasitic diseases	6.1	4.3	5.2
8	Fever of unknown origin	4.1	4.6	4.3
9	Measles	3.3	4.6	4.0
10	Nutritional diseases	2.8	4.8	3.9
	All Other Remaining Causes	10.4	8.9	9.6
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Note: Table based on Classification list 3 (See Annexure 2)**

**Statement 3.4A- Top 10 Causes of Death in age below 0 to 4 years (% total death ): 2004-2006 All India**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Prematurity & low birth weight	21.8	20.3	21.1
2	Pneumonia	17.7	19.0	18.3
3	Diarrhoeal diseases	9.6	12.4	11.0
4	Birth asphyxia & birth trauma	10.4	8.5	9.5
5	Other non communicable diseases	8.0	7.4	7.7
6	Ill defined or cause unknown	6.4	5.1	5.8
7	Acute bacterial sepsis and severe infections	4.3	4.2	4.3
8	Congenital anomalies	4.4	3.6	4.0
9	Injuries	3.8	3.4	3.6
10	Malaria	2.0	2.7	2.3
	All Other Remaining Causes	11.5	13.3	12.4
	Total	100.0	100.0	100.0

**Statement 3.4B-Top 10 Causes of Death in age below 0 to 4 years (% total death ): 2004-2006 EAG States & Assam And Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Pneumonia		22.09	21.4
2	Prematurity & low birth weight	19.1	17.3	18.2
3	Diarrhoeal diseases	11.5	14.5	12.9
4	Birth asphyxia & birth trauma	8.8	7.3	8.0
5	Other noncommunicable diseases	7.4	6.5	7.0
6	Ill defined or cause unknown	6.7	5.0	5.8
7	Acute bacterial sepsis and severe infections	4.5	4.4	4.5
8	Nutritional diseases	2.5	3.4	2.9
9	Injuries	3.0	2.7	2.8
10	Malaria	2.2	3.0	2.6
	All Other Remaining Causes	13.5	13.9	13.7
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Other States</b>				
1	Prematurity & low birth weight	25.3	24.7	25.0
2	Pneumonia	13.7	14.5	14.1
3	Birth asphyxia & birth trauma	12.7	10.4	11.6
4	Other noncommunicable diseases	8.8	8.6	8.7
5	Diarrhoeal diseases	7.1	9.5	8.2
6	Congenital anomalies	7.0	6.0	6.5
7	Ill defined or cause unknown	6.1	5.2	5.7
8	Injuries	4.9	4.3	4.6
9	Acute bacterial sepsis and severe infections	4.0	4.1	4.0
10	Meningitis/encephalitis	1.9	2.7	2.3
	All Other Remaining Causes	8.6	10.0	9.3
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Note: Table based on Classification list 3 (See Annexure 2)**

**Statement 3.4c-Top 10 Causes of Death in age below 0 to 4 years (% total death ): 2004-2006 Rural & Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Prematurity & low birth weight	21.4	20.0	20.7
2	Pneumonia	18.5	19.1	18.8
3	Diarrhoeal diseases	9.8	12.6	11.1
4	Birth asphyxia & birth trauma	10.1	8.6	9.4
5	Other noncommunicable diseases	7.8	7.3	7.6
6	Ill defined or cause unknown	6.4	5.0	5.7
7	Acute bacterial sepsis and severe infections	4.5	4.3	4.4
8	Congenital anomalies	3.9	3.4	3.7
9	Injuries	3.8	3.1	3.5
10	Malaria	2.1	2.9	2.5
	All Other Remaining Causes	11.8	13.5	12.7
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Urban Area</b>				
1	Prematurity & low birth weight	23.6	21.9	22.8
2	Pneumonia	13.9	18.2	15.9
3	Birth asphyxia & birth trauma	12.2	7.9	10.2
4	Diarrhoeal diseases	8.8	11.7	10.1
5	Other noncommunicable diseases	9.4	7.9	8.7
6	Ill defined or cause unknown	6.5	5.3	6.0
7	Congenital anomalies	6.8	4.9	5.9
8	Injuries	3.9	4.4	4.1
9	Acute bacterial sepsis and severe infections	3.6	3.8	3.7
10	Other infectious and parasitic diseases	2.3	2.3	2.3
	All Other Remaining Causes	9.2	11.6	10.4
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Note: Table based on Classification list 3 (See Annexure 2)**

**Statement 3.5A-Top 10 Causes of Death in age 5-14 years (% total death ): 2004-2006**  
**All India**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Other infectious and parasitic diseases	15.2	16.4	15.8
2	Unintentional injuries: Other Than Motor Vehicle Accidents	18.5	13.0	15.8
3	Diarrhoeal diseases	12.9	16.6	14.7
4	Malaria	8.3	8.9	8.6
5	Respiratory infections	6.0	7.7	6.9
6	Digestive diseases	5.4	5.5	5.5
7	Fever of unknown origin	3.9	4.7	4.3
8	Unintentional injuries: Motor Vehicle Accidents	5.3	2.7	4.0
9	Malignant and other Neoplasms	3.7	3.1	3.4
10	Neuro-psychiatric conditions	3.2	2.8	3.0
	All Other Remaining Causes	17.5	18.5	18.0
	Total	100.0	100.0	100.0

**Statement 3.5B- Top 10 Causes of Death in age 5-14 years (% total death ): 2004-2006 EAG States & Assam  
And Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Other infectious and parasitic diseases	16.1	17.9	17.0
2	Diarrhoeal diseases	14.1	18.0	16.1
3	Unintentional injuries: Other Than Motor Vehicle Accidents	18.1	11.8	14.9
4	Malaria	9.7	9.9	9.8
5	Respiratory infections	6.8	8.6	7.7
6	Digestive diseases	6.3	6.5	6.4
7	Fever of unknown origin	4.4	5.3	4.9
8	Tuberculosis	2.0	3.6	2.8
9	Unintentional injuries: Motor Vehicle Accidents	3.7	2.0	2.8
10	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	3.0	2.0	2.5
	All Other Remaining Causes	15.8	14.4	15.1
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Other States</b>				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	19.0	14.7	17.0
2	Other infectious and parasitic diseases	14.1	14.2	14.2
3	Diarrhoeal diseases	11.4	14.7	12.9
4	Malaria	6.7	7.5	7.1
5	Respiratory infections	5.1	6.5	5.7
6	Unintentional injuries: Motor Vehicle Accidents	7.2	3.7	5.6
7	Malignant and other Neoplasms	4.6	4.5	4.6
8	Neuro-psychiatric conditions	4.5	4.2	4.4
9	Digestive diseases	4.3	4.2	4.3
10	Fever of unknown origin	3.3	3.8	3.6
	All Other Remaining Causes	19.7	21.9	20.7
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Statement 3.5C- Top 10 Causes of Death in age 5-14 years (% total death ): 2004-2006 Rural & Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	18.8	13.8	16.3
2	Other infectious and parasitic diseases	14.7	16.0	15.3
3	Diarrhoeal diseases	12.9	16.8	14.8
4	Malaria	8.6	9.5	9.1
5	Respiratory infections	6.4	7.8	7.1
6	Digestive diseases	5.7	5.4	5.6
7	Fever of unknown origin	4.1	4.6	4.4
8	Unintentional injuries: Motor Vehicle Accidents	5.1	2.6	3.9
9	Malignant and other Neoplasms	3.1	2.7	2.9
10	Neuro-psychiatric conditions	3.1	2.7	2.9
	All Other Remaining Causes	17.5	17.8	17.6
	Total	100.0	100.0	100.0
<b>Urban Area</b>				
1	Other infectious and parasitic diseases	17.9	18.2	18.1
2	Diarrhoeal diseases	12.6	15.7	14.2
3	Unintentional injuries: Other Than Motor Vehicle Accidents	17.1	8.8	12.9
4	Malaria	6.8	6.0	6.4
5	Malignant and other Neoplasms	6.8	4.6	5.6
6	Respiratory infections	4.1	7.1	5.6
7	Digestive diseases	3.8	6.0	4.9
8	Unintentional injuries: Motor Vehicle Accidents	6.5	3.1	4.8
9	Fever of unknown origin	2.6	5.4	4.1
10	Neuro-psychiatric conditions	3.8	3.1	3.5
	All Other Remaining Causes	17.9	21.9	20.0
	Total	100.0	100.0	100.0



**Statement 3.6A-Top 10 Causes of Death in age 15-29 years (% total death ): 2004-2006 All India**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Intentional injuries: Suicide	12.8	19.7	15.8
2	Unintentional injuries: Other Than Motor Vehicle Accidents	12.8	9.5	11.3
3	Unintentional injuries: Motor Vehicle Accidents	15.5	2.4	9.8
4	Cardiovascular diseases	8.1	6.8	7.5
5	Tuberculosis	7.2	7.6	7.3
6	Digestive diseases	7.0	6.9	7.0
7	Diarrhoeal diseases	4.4	6.9	5.5
8	Other infectious and parasitic diseases	4.5	6.1	5.2
9	Malignant and other Neoplasms	4.7	5.0	4.8
10	Malaria	3.9	4.4	4.1
	All Other Remaining Causes	19.2	24.8	21.7
	Total	100.0	100.0	100.0

**Statement 3.6B- Top 10 Causes of Death in age 15-29 years (% total death ): 2004-2006**  
**EAG States & Assam And Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Unintentional injuries: Other Than Motor Vehicle Accidents	13.0	10.2	11.7
2	Tuberculosis	9.7	9.3	9.5
3	Diarrhoeal diseases	7.4	11.0	9.0
4	Digestive diseases	8.2	8.9	8.6
5	Intentional injuries: Suicide	7.4	9.6	8.4
6	Unintentional injuries: Motor Vehicle Accidents	13.7	1.8	8.3
7	Other infectious and parasitic diseases	6.1	7.9	6.9
8	Cardiovascular diseases	6.5	6.1	6.3
9	Malaria	5.6	6.5	6.0
10	Malignant and other Neoplasms	4.0	4.0	4.0
	All Other Remaining Causes	18.3	24.6	21.2
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Other States</b>				
1	Intentional injuries: Suicide	16.0	26.0	20.3
2	Unintentional injuries: Other Than Motor Vehicle Accidents	12.6	9.0	11.1
3	Unintentional injuries: Motor Vehicle Accidents	16.5	2.8	10.6
4	Cardiovascular diseases	9.0	7.2	8.2
5	Tuberculosis	5.7	6.5	6.0
6	Digestive diseases	6.3	5.6	6.0
7	Malignant and other Neoplasms	5.1	5.6	5.3
8	Other infectious and parasitic diseases	3.7	4.9	4.2
9	Neuro-psychiatric conditions	3.7	4.0	3.8
10	Diarrhoeal diseases	2.6	4.4	3.4
	All Other Remaining Causes	18.8	24.0	21.1
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Statement 3.6C- Top 10 Causes of Death in age 15-29 years (% total death ): 2004-2006**  
**Rural & Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Intentional injuries: Suicide	13.6	20.1	16.5
2	Unintentional injuries: Other Than Motor Vehicle Accidents	13.7	9.7	11.9
3	Unintentional injuries: Motor Vehicle Accidents	14.6	2.1	9.1
4	Cardiovascular diseases	7.7	6.8	7.3
5	Tuberculosis	7.1	7.3	7.2
6	Digestive diseases	6.4	6.9	6.7
7	Diarrhoeal diseases	4.3	6.9	5.5
8	Other infectious and parasitic diseases	4.4	6.0	5.1
9	Malignant and other Neoplasms	4.9	5.1	5.0
10	Malaria	4.0	4.8	4.4
	All Other Remaining Causes	19.2	24.3	21.5
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Urban Area</b>				
1	Intentional injuries: Suicide	10.2	18.0	13.4
2	Unintentional injuries: Motor Vehicle Accidents	18.3	3.8	12.3
3	Unintentional injuries: Other Than Motor Vehicle Accidents	9.8	8.6	9.3
4	Cardiovascular diseases	9.3	6.7	8.2
5	Digestive diseases	9.0	6.7	8.0
6	Tuberculosis	7.5	8.7	8.0
7	Other infectious and parasitic diseases	5.1	6.5	5.7
8	Diarrhoeal diseases	4.6	6.9	5.5
9	Malignant and other Neoplasms	3.9	4.7	4.2
10	Neuro-psychiatric conditions	2.7	3.7	3.1
	All Other Remaining Causes	19.6	25.8	22.2
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

**Statement 3.7A-Top 10 Causes of Death in age 30-69 years (% total death ): 2004-2006 All India**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	29.0	26.0	27.8
2	Malignant and other Neoplasms	9.0	13.6	10.8
3	Tuberculosis	9.9	6.7	8.7
4	Respiratory diseases	8.2	9.1	8.6
5	Digestive diseases	8.6	5.3	7.3
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.9	4.6	4.8
7	Diarrhoeal diseases	3.7	6.0	4.5
8	Genito-urinary diseases	3.4	3.5	3.4
9	Intentional injuries: Suicide	3.3	2.3	2.9
10	Unintentional injuries: Motor Vehicle Accidents	3.9	1.2	2.9
	All Other Remaining Causes	16.1	21.8	18.3
	Total	100.0	100.0	100.0

**Statement 3.7B-Top 10 Causes of Death in age 30-69 years (% total death ): 2004-2006; EAG States & Assam And Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Cardiovascular diseases	22.1	20.2	21.3
2	Tuberculosis	13.2	9.2	11.6
3	Respiratory diseases	10.7	11.0	10.8
4	Malignant and other Neoplasms	7.4	11.0	8.8
5	Digestive diseases	9.0	6.6	8.0
6	Diarrhoeal diseases	5.7	8.8	7.0
7	Unintentional injuries: Other Than Motor Vehicle Accidents	4.6	4.9	4.7
8	Malaria	3.7	4.3	3.9
9	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	2.6	3.5	3.0
10	Unintentional injuries: Motor Vehicle Accidents	3.7	1.0	2.6
	All Other Remaining Causes	17.3	19.5	18.2
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Other States</b>				
1	Cardiovascular diseases	32.2	29.0	31.0
2	Malignant and other Neoplasms	9.8	14.9	11.7
3	Respiratory diseases	7.1	8.1	7.5
4	Tuberculosis	8.3	5.4	7.2
5	Digestive diseases	8.4	4.7	7.0
6	Unintentional injuries: Other Than Motor Vehicle Accidents	5.0	4.5	4.8
7	Intentional injuries: Suicide	4.3	3.0	3.8
8	Genito-urinary diseases	3.7	4.0	3.8
9	Diarrhoeal diseases	2.7	4.5	3.4
10	Unintentional injuries: Motor Vehicle Accidents	4.1	1.2	3.0
	All Other Remaining Causes	14.5	20.6	16.8
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Includes Senility

**Statement 3.7C-Top 10 Causes of Death in age 30-69 years (% total death ): 2004-2006; Rural &**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Cardiovascular diseases	26.9	24.1	25.9
2	Malignant and other Neoplasms	8.7	13.3	10.5
3	Respiratory diseases	9.0	9.7	9.3
4	Tuberculosis	10.4	7.2	9.1
5	Digestive diseases	8.4	5.4	7.2
6	Unintentional injuries: Other Than Motor Vehicle Accidents	5.2	4.8	5.0
7	Diarrhoeal diseases	4.0	6.5	4.9
8	Intentional injuries: Suicide	3.7	2.4	3.2
9	Genito-urinary diseases	3.1	3.0	3.1
10	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	2.3	3.5	2.8
	All Other Remaining Causes	18.3	20.0	18.9
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Urban Area</b>				
1	Cardiovascular diseases	34.7	31.6	33.6
2	Malignant and other Neoplasms	9.9	14.3	11.5
3	Digestive diseases	9.3	5.0	7.7
4	Tuberculosis	8.5	5.3	7.3
5	Respiratory diseases	6.2	7.1	6.5
6	Genito-urinary diseases	4.1	4.8	4.3
7	Unintentional injuries: Other Than Motor Vehicle Accidents	4.0	4.3	4.1
8	Unintentional injuries: Motor Vehicle Accidents	4.6	1.7	3.5
9	Diarrhoeal diseases	2.7	4.5	3.4
10	Diabetes mellitus	2.0	3.7	2.6
	All Other Remaining Causes	14.2	17.7	15.5
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Includes Senility

**Statement 3.8A-Top 10 Causes of Death in age 70 years and over adults (% total death ): 2004-2006 All India**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	28.7	24.7	26.8
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings	16.0	24.0	19.8
3	Respiratory diseases	14.3	10.8	12.6
4	Diarrhoeal diseases	6.1	9.3	7.6
5	Malignant and other Neoplasms	5.3	4.6	4.9
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.1	5.0	4.5
7	Tuberculosis	4.3	2.5	3.4
8	Digestive diseases	3.4	2.6	3.0
9	Respiratory infections	3.0	3.0	3.0
10	Fever of unknown origin	2.5	3.3	2.9
	All Other Remaining Causes	12.4	10.3	11.4
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Includes Senility

**statement 3.8B-Top 10 Causes of Death in age 70 years and over adults (% total death ): 2004-2006 EAG States & Assam And Other States**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>EAG States &amp; Assam</b>				
1	Cardiovascular diseases	22.4	19.0	20.8
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	16.0	21.9	18.7
3	Respiratory diseases	16.6	13.5	15.1
4	Diarrhoeal diseases	9.9	13.9	11.8
5	Tuberculosis	5.1	3.6	4.4
6	Respiratory infections	3.9	4.0	4.0
7	Malignant and other Neoplasms	4.2	3.4	3.9
8	Digestive diseases	4.2	3.5	3.9
9	Unintentional injuries: Other Than Motor Vehicle Accidents	3.2	4.4	3.8
10	Fever of unknown origin	2.7	3.8	3.2
	All Other Remaining Causes	11.7	9.2	10.5
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>
<b>Other States</b>				
1	Cardiovascular diseases	31.5	27.1	29.4
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	15.9	24.8	20.2
3	Respiratory diseases	13.2	9.7	11.5
4	Diarrhoeal diseases	4.4	7.3	5.8
5	Malignant and other Neoplasms	5.8	5.1	5.4
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.4	5.3	4.9
7	Tuberculosis	3.9	2.0	3.0
8	Genito-urinary diseases	3.7	2.3	3.0
9	Fever of unknown origin	2.3	3.1	2.7
10	Digestive diseases	3.1	2.2	2.7
	All Other Remaining Causes	11.7	11.1	11.4
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Includes Senility



**statement 3.8C-Top 10 Causes of Death in age 70 years and over adults (% total death ): 2004-2006 Rural & Urban Areas**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
<b>Rural Area</b>				
1	Cardiovascular diseases	26.5	23.0	24.8
2	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	16.4	24.6	20.3
3	Respiratory diseases	15.3	11.5	13.5
4	Diarrhoeal diseases	6.6	9.9	8.2
5	Malignant and other Neoplasms	4.9	4.5	4.7
6	Unintentional injuries: Other Than Motor Vehicle Accidents	3.9	4.9	4.3
7	Tuberculosis	4.6	2.7	3.7
8	Respiratory infections	3.2	3.2	3.2
9	Digestive diseases	3.7	2.5	3.1
10	Fever of unknown origin	2.7	3.6	3.1
	All Other Remaining Causes	12.3	9.8	11.1
	Total	100.0	100.0	100.0
<b>Urban Area</b>				
1	Cardiovascular diseases	36.0	30.1	33.1
2	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	14.6	22.0	18.2
3	Respiratory diseases	10.8	8.7	9.8
4	Diarrhoeal diseases	4.5	7.4	5.9
5	Malignant and other Neoplasms	6.5	5.0	5.7
6	Unintentional injuries: Other Than Motor Vehicle Accidents	4.6	5.6	5.1
7	Genito-urinary diseases	4.2	2.7	3.5
8	Diabetes mellitus	3.2	3.3	3.2
9	Digestive diseases	2.7	2.8	2.8
10	Respiratory infections	2.5	2.6	2.5
	All Other Remaining Causes	10.5	9.8	10.1
	Total	100.0	100.0	100.0

Note: \* Includes Senility

**Statement 4.1-Proportion of Deaths from Specific medical causes in India 2004-2006;  
All india**

Causes of Death	No of Deaths (%)		
	Male	Female	Person
<b>All Ages</b>			
Cardiovascular diseases	21.5	17.8	19.9
Malignant and other Neoplasms	6.0	6.8	6.3
Diabetes mellitus	1.5	1.6	1.5
Tuberculosis	6.2	3.9	5.2
Malaria	2.2	2.8	2.5
HIV/AIDS	0.5	0.3	0.4
<b>Ages 30-69</b>			
Cardiovascular diseases	29.0	26.0	27.8
Malignant and other Neoplasms	9.0	13.6	10.8
Diabetes mellitus	1.9	2.5	2.1
Tuberculosis	9.9	6.7	8.7
Malaria	2.0	2.9	2.3
HIV/AIDS	0.9	0.6	0.8

**Statement 4.2- Proportion of Deaths from Specific medical causes in India  
:2004-2006;EAG States & Assam and Other States**

Causes of Death	No of Deaths (%)		
	Male	Female	Person
<b>EAG States &amp; Assam</b>			
<b>All Ages</b>			
Cardiovascular diseases	14.2	11.4	13.0
Malignant and other Neoplasms	4.3	4.7	4.4
Diabetes mellitus	1.1	1.0	1.1
Tuberculosis	7.0	4.7	6.0
Malaria	3.3	3.9	3.6
HIV/AIDS	0.2	0.1	0.1
<b>Ages 30-69</b>			
Cardiovascular diseases	22.1	20.2	21.3
Malignant and other Neoplasms	7.4	11.0	8.8
Diabetes mellitus	1.8	2.0	1.9
Tuberculosis	13.2	9.2	11.6
Malaria	3.7	4.3	3.9
HIV/AIDS	0.3	0.1	0.3
<b>Other States</b>			
<b>All Ages</b>			
Cardiovascular diseases	25.8	22.0	24.2
Malignant and other Neoplasms	7.0	8.1	7.5
Diabetes mellitus	1.7	2.0	1.8
Tuberculosis	5.7	3.4	4.7
Malaria	1.6	2.2	1.8
HIV/AIDS	0.7	0.5	0.6
<b>Ages 30-69</b>			
Cardiovascular diseases	32.2	29.0	31.0
Malignant and other Neoplasms	9.8	14.9	11.7
Diabetes mellitus	1.9	2.8	2.2
Tuberculosis	8.3	5.4	7.2
Malaria	1.2	2.1	1.5
HIV/AIDS	1.2	0.8	1.1

**Statement 4.3-Proportion of Deaths from Specific medical causes in  
India :2004-2006; Rural & Urban Areas**

Causes of Death	No of Deaths (%)		
	Male	Female	Person
<b>Rural Area</b>			
<b>All Ages</b>			
Cardiovascular diseases	19.5	16.1	18.0
Malignant and other Neoplasms	5.6	6.5	6.0
Diabetes mellitus	1.3	1.3	1.3
Tuberculosis	6.3	4.0	5.3
Malaria	2.4	3.2	2.7
HIV/AIDS	0.6	0.3	0.5
<b>Ages 30-69</b>			
Cardiovascular diseases	26.9	24.1	25.9
Malignant and other Neoplasms	8.7	13.3	10.5
Diabetes mellitus	1.8	2.1	1.9
Tuberculosis	10.4	7.2	9.1
Malaria	2.2	3.3	2.6
HIV/AIDS	1.0	0.6	0.9
<b>Urban Area</b>			
<b>All Ages</b>			
Cardiovascular diseases	28.3	23.9	61.6
Malignant and other Neoplasms	7.2	7.8	17.5
Diabetes mellitus	1.9	2.7	5.2
Tuberculosis	5.7	3.5	11.0
Malaria	1.5	1.7	3.7
HIV/AIDS	0.4	0.3	0.9
<b>Ages 30-69</b>			
Cardiovascular diseases	34.7	31.6	58.8
Malignant and other Neoplasms	9.9	14.3	20.2
Diabetes mellitus	2.0	3.7	4.6
Tuberculosis	8.5	5.3	12.8
Malaria	1.4	1.8	2.7
HIV/AIDS	0.6	0.4	0.9

**Table 5.1-Prevalence of Smoking/Chewing, Alcohol and Vegetarian among Various Causes of Death, Ages 30+ years: 2004-06: INDIA**

Age group and underlying cause of death	Proportion who smoked/ chewed	Proportion who drank alcohol	Proportion who were vegetarian
<b>Women</b>			
Age 30-69 Yr			
Tuberculosis	22.7	8.8	26.4
Respiratory Disease	21.4	5.0	26.1
Stroke	20.1	4.9	22.5
Heart Disease	16.2	4.8	23.1
Neoplastic Disease	19.5	4.4	24.3
Peptic Ulcer	22.3	6.4	24.3
Liver Disease and Alcohol	22.6	15.5	22.4
Infection	19.7	6.8	21.9
Other or unspecified disease	15.9	4.7	24.0
Age 30-69 yr, any medical cause	18.5	5.8	23.6
Age >=70 yr, any medical cause	19.7	3.8	25.0
<b>Men</b>			
Age 30-69 Yr			
Tuberculosis	72.7	47.9	24.7
Respiratory Disease	64.1	28.6	28.6
Stroke	57.5	29.8	21.6
Heart Disease	53.9	29.0	23.9
Neoplastic Disease	62.8	32.8	24.0
Peptic Ulcer	67.3	45.3	18.6
Liver Disease and Alcohol	69.1	67.8	21.7
Infection	61.0	35.8	23.7
Other or unspecified disease	50.4	28.2	24.0
Age 30-69 yr, any medical cause	59.5	35.9	23.7
Age >=70 yr, any medical cause	46.9	18.5	25.3

**Statement 7.1 A : Top 10 Causes of Death (All Ages as %): 2004-2006;  
Major Region- North : (Chandigarh,Delhi,Haryana,Himachal Pradesh, Jammu &  
Kashmir, Punjab and Uttarakhand)**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	23.1	19.0	21.4
2	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	8.0	10.5	9.0
3	Respiratory diseases	9.4	7.2	8.5
4	Perinatal conditions	7.5	8.3	7.8
5	Malignant and other Neoplasms	6.5	8.8	7.5
6	Diarrhoeal diseases	4.6	7.3	5.8
7	Respiratory infections	4.0	5.9	4.8
8	Tuberculosis	5.1	3.8	4.6
9	Unintentional injuries: Other Than Motor Vehicle Accidents	4.8	3.8	4.4
10	Digestive diseases	4.6	3.6	4.2
	All Other Remaining Causes	22.3	21.9	22.1
	<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>

Note: \* Includes Senility

**Statement 7.1B : Top 10 Causes of Death (All Ages as %): 2004-2006;  
Major Region- North East : (Arunachal Pradesh, Assam, Manipur, Meghalaya,  
Mizoram, Nagaland, Sikkim and Tripura)**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	18.2	16.0	16.8
2	Diarrhoeal diseases	7.3	10.3	8.3
3	Malignant and other Neoplasms	7.9	7.4	7.5
4	Digestive diseases	8.4	5.7	7.1
5	Perinatal conditions	6.9	7.8	7.0
6	Respiratory infections	6.1	7.6	6.5
7	Malaria	6.4	6.9	6.4
8	Respiratory diseases	5.2	5.8	5.3
9	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	4.2	7.1	5.2
10	Tuberculosis	6.0	3.6	4.9
	All Other Remaining Causes	23.4	21.9	25.0
	Total	100.0	100.0	100.0

Note: \* Includes Senility

**Statement 7.1C : Top 10 Causes of Death (All Ages as %): 2004-2006;  
Major Region- East : (Bihar, Jharkhand,Orissa and West Bengal)**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	19.9	17.8	18.9
2	Diarrhoeal diseases	8.8	12.8	10.6
3	Perinatal conditions	7.7	7.8	7.8
4	Respiratory infections	5.9	7.4	6.6
5	Respiratory diseases	6.5	6.5	6.5
6	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	5.3	7.1	6.1
7	Digestive diseases	6.7	5.1	6.0
8	Unintentional injuries: Other Than Motor Vehicle Accidents	5.5	5.1	5.3
9	Tuberculosis	6.3	3.7	5.2
10	Malignant and other Neoplasms	5.0	4.9	5.0
	All Other Remaining Causes	22.2	21.8	22.0
	Total	100.0	100.0	100.0

Note: \* Includes Senility



**Statement 7.1D : Top 10 Causes of Death (All Ages as %): 2004-2006;  
Major Region- Central : (Chattisgarh, Madhya Pradesh, Rajasthan and Uttar Pradesh)**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	13.0	10.1	11.7
2	Perinatal conditions	11.8	10.9	11.4
3	Respiratory infections	8.4	10.2	9.2
4	Respiratory diseases	10.3	7.5	9.1
5	Diarrhoeal diseases	7.0	10.4	8.6
6	Ill-defined/ All other symptoms, signs and abnormal clinical and laboratory findings*	5.2	7.8	6.4
7	Tuberculosis	6.9	4.9	6.0
8	Other infectious and parasitic diseases	4.8	6.1	5.4
9	Unintentional injuries: Other Than Motor Vehicle Accidents	4.6	4.6	4.6
10	Malignant and other Neoplasms	4.1	4.9	4.5
	All Other Remaining Causes	23.8	22.4	23.1
	Total	100.0	100.0	100.0

Note: \* Includes Senility

**Statement 7.1E : Top 10 Causes of Death (All Ages as %):2004-2006;  
Major Region- West : (Dadra & Nagar Haveli,Daman & Diu, Goa, Gujarat and  
Maharashtra)**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	23.7	19.1	21.7
2	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	5.4	11.2	7.9
3	Respiratory diseases	7.3	7.9	7.6
4	Perinatal conditions	6.6	7.3	6.9
5	Tuberculosis	8.2	4.3	6.5
6	Malignant and other Neoplasms	6.0	6.9	6.4
7	Diarrhoeal diseases	4.7	7.4	5.9
8	Unintentional injuries: Other Than Motor Vehicle Accidents	5.3	5.1	5.2
9	Digestive diseases	6.2	3.2	4.9
10	Respiratory infections	4.0	4.8	4.3
	All Other Remaining Causes	22.7	22.8	22.7
	Total	100.0	100.0	100.0

Note: \* Includes Senility

**Statement 7.1F : Top 10 Causes of Death (All Ages as %): 2004-2006;**  
**Major Region- South : (Andhra Pradesh,Andaman & Nicobar Islands,Karnataka,**  
**Kerala,Lakshadweep,Puducherry and Tamil Nadu)**

Rank	Causes of Death	No of Deaths (%)		
		Male	Female	Person
1	Cardiovascular diseases	28.1	23.3	26.0
2	Ill-defined/ All other symptoms,signs and abnormal clinical and laboratory findings*	6.7	12.9	9.4
3	Malignant and other Neoplasms	7.3	8.6	7.8
4	Respiratory diseases	7.2	6.6	6.9
5	Unintentional injuries: Other Than Motor Vehicle Accidents	6.2	6.3	6.2
6	Intentional injuries: Suicide	4.8	4.3	4.6
7	Perinatal conditions	4.4	4.8	4.6
8	Diarrhoeal diseases	3.1	5.7	4.2
9	Tuberculosis	5.0	3.2	4.2
10	Digestive diseases	5.0	2.5	3.9
	All Other Remaining Causes	22.2	21.8	22.1
	Total	100.0	100.0	100.0

Note: \* Includes Senility

**Statement 7.2A: Distribution of Deaths by Age and Gender, 2004-2006;**  
**Major Region - North : (Chandigarh, Delhi, Haryana,**  
**Himachal Pradesh, Jammu & Kashmir, Punjab and Uttarakhand)**

Age Group	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1375	14.2	1248	17.7	2623	15.7
1-4	246	2.5	299	4.2	545	3.3
0-4	1621	16.8	1547	22.0	3168	19.0
5-14	182	1.9	185	2.6	367	2.2
15-29	675	7.0	447	6.3	1122	6.7
30-34	267	2.8	126	1.8	393	2.4
35-44	723	7.5	360	5.1	1083	6.5
45-54	933	9.7	483	6.9	1416	8.5
55-69	2050	21.2	1399	19.9	3449	20.7
70+	3207	33.2	2493	35.4	5700	34.1
Total	9658	100.0	7040	100.0	16698	100.0

**Statement 7.2B: Distribution of Deaths by Age and Gender, 2004-2006;**  
**Major Region - North East : (Arunachal Pradesh, Assam, Manipur, Meghalaya, Mizoram,**  
**Nagaland, Sikkim and Tripura)**

Age Group	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	711	13.7	568	15.7	1279	14.5
1-4	261	5.0	233	6.4	494	5.6
0-4	972	18.8	801	22.1	1773	20.1
5-14	240	4.6	227	6.3	467	5.3
15-29	452	8.7	305	8.4	757	8.6
30-34	189	3.6	107	2.9	296	3.4
35-44	463	8.9	259	7.1	722	8.2
45-54	560	10.8	294	8.1	854	9.7
55-69	1088	21.0	634	17.5	1722	19.5
70+	1217	23.5	1001	27.6	2218	25.2
Total	5181	100.0	3628	100.0	8809	100.0

**Statement 7.2C: Distribution of Deaths by Age and Gender, 2004-2006;  
Major Region - East : (Bihar , Jharkhand, Orrisa and West  
Bengal)**

Age Group	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	2283	15.4	2039	16.7	4322	16.0
1-4	634	4.3	778	6.4	1412	5.2
0-4	2917	19.7	2817	23.1	5734	21.2
5-14	556	3.8	590	4.8	1146	4.2
15-29	1003	6.8	890	7.3	1893	7.0
30-34	341	2.3	284	2.3	625	2.3
35-44	992	6.7	624	5.1	1616	6.0
45-54	1374	9.3	832	6.8	2206	8.2
55-69	3473	23.5	2604	21.3	6077	22.5
70+	4142	28.0	3576	29.3	7718	28.6
Total	14798	100.0	12217	100.0	27015	100.0

**Statement 7.2D: Distribution of Deaths by Age and Gender, 2004-2006;  
Major Region - Central : (Chattisgarh, Madhya Pradesh,  
Rajasthan and Uttar Pradesh)**

Age Group	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	3531	24.5	3021	25.8	6552	25.1
1-4	1011	7.0	1262	10.8	2273	8.7
0-4	4542	31.6	4283	36.5	8825	33.8
5-14	648	4.5	676	5.8	1324	5.1
15-29	918	6.4	763	6.5	1681	6.4
30-34	364	2.5	240	2.0	604	2.3
35-44	837	5.8	429	3.7	1266	4.8
45-54	1040	7.2	625	5.3	1665	6.4
55-69	2766	19.2	1869	15.9	4635	17.7
70+	3280	22.8	2844	24.2	6124	23.4
Total	14395	100.0	11729	100.0	26124	100.0

**Statement 7.2E: Distribution of Deaths by Age and Gender, 2004-2006;  
Major Region - West: (Dadra & Nagar Haveli, Daman & Diu,  
Goa, Gujarat and Maharashtra)**

Age Group	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1089	11.2	960	12.9	2049	12.0
1-4	293	3.0	279	3.8	572	3.3
0-4	1382	14.3	1239	16.7	2621	15.3
5-14	232	2.4	194	2.6	426	2.5
15-29	657	6.8	460	6.2	1117	6.5
30-34	327	3.4	156	2.1	483	2.8
35-44	859	8.9	314	4.2	1173	6.8
45-54	1006	10.4	523	7.0	1529	8.9
55-69	2493	25.7	1709	23.0	4202	24.5
70+	2735	28.2	2841	38.2	5576	32.6
Total	9691	100.0	7436	100.0	17127	100.0



**Statement 7.2F: Distribution of Deaths by Age and Gender, 2004-2006;**  
**Major Region - South: (Andhra Pradesh, Andaman & Nicobar Islands, Karnataka, Kerala, Lakshadweep,**  
**Puducherry and Tamil Nadu)**

Age Group	No of Deaths (%)					
	Male	Male %	Female	Female %	Person	Person %
0-1	1361	7.1	1173	8.0	2534	7.5
1-4	257	1.3	222	1.5	479	1.4
0-4	1618	8.4	1395	9.5	3013	8.9
5-14	274	1.4	225	1.5	499	1.5
15-29	1225	6.4	982	6.7	2207	6.5
30-34	617	3.2	339	2.3	956	2.8
35-44	1570	8.2	725	4.9	2295	6.8
45-54	2259	11.7	1164	7.9	3423	10.1
55-69	5229	27.2	3478	23.7	8707	25.7
70+	6453	33.5	6377	43.4	12830	37.8
Total	19245	100.0	14685	100.0	33930	100.0

---

## ANNEXURE - 1

### Neonatal Classification (Deaths in Age 0-28 Days) (Classification List 2)

Child age <29 days Neonatal mortality Classification (Deaths in Age < 29 days)

<u>Disease</u>	<u>ICD 10 range</u>
<b>Communicable, perinatal and nutritional conditions</b>	
<b>Neonatal_Infections:</b>	
Neonatal Pneumonia	A37, H65-H68, H70, H71, J00-J22, J32, J36, J85, J86, P23, U04
Sepsis	M86, N10, N30, N34, N41, N49, N61, P35-P39
Meningitis/encephalitis	A39, A81-A89, G00-G09
<b>Other communicable diseases</b>	
Diarrhoeal diseases	A00-A09
Tetanus	A33-A35
Poliomyelitis	A80, B91
Measles	B01, B05
Malaria	B50-B54
Other infectious and parasitic diseases	K61, N70-N74, R75, U00, Y95
Fever of unknown origin	R50
<b>Perinatal conditions</b>	
Prematurity & low birthweight	P01, P05, P07, P22, P25-P28, P52, P61, P77, R04
Birth asphyxia & birth trauma	P00, P02, P03, P10-P15, P20, P21, P24, P29, P50, P90, P91
<b>Other conditions</b>	
Congenital anomalies	G10-G99, Q00-Q99
Nutritional diseases	D50-D53, E00-E02, E40-E46, E50-E56, E59-E61, E63, E64, X53-X54
<b>Non Communicable diseases</b>	
<b>Other noncommunicable diseases</b>	
Other noncommunicable diseases	C00-C97, D01-D48, D55-D89, E03-E35, E65-E90, F00-F99, H00-H06, H11-H59, H61-H62, H69, H72-H95, I00-I28, I31, I34-I38, I42-I99, J30, J31, J33-J35, J37-J47, J60, J64, J66-J70, J80-J82, J84, J90-J99, K00-K03, K06-K60, K62-K63, K70-K80, K82-K93, L05, L10-L99, M02-M54, M61-M85, M87-M99, N00-N08, N11-N29, N31-N33, N35-N40, N42-N48, N50-N51, N60, N62-N64, N75-N99, P04, P08, P51, P53-P60, P70-P72, P74-P76, P78, P80-P83, P92-P94, R00, R01, R03, R05, R06, R11-R23, R26, R27, R29-R36, R39-R49, R55, R56, R59, R63, R70-R74, R76-R77, R80-R82, R84-R87, R90, R91
<b>Injuries</b>	
<b>Injuries</b>	
Injuries	S00-S99, T00-T98, V01-V99, W00-W99, X00-X52, X57-X99, Y00-Y91, Y97-Y98
<b>Ill-defined conditions</b>	
<b>Ill defined or cause unknown</b>	
Ill defined or cause unknown	P96, R02, R07, R09, R10, R25, R51-R54, R57-R58, R60-R62, R64, R68, R69, R78, R79, R83, R89, R92-R99

---

---

## ANNEXURE - 2

### Child age 1-59 month mortality (Classification list 3)

#### Child age 1-59 month Classification (Deaths in Age 1-59 month)

---

<u>Disease</u>	<u>ICD 10 range</u>
<b>Communicable, perinatal and nutritional conditions</b>	
<b>Early childhood infections</b>	
Pneumonia	A37, H65-H68, H70, H71, J00-J22, J32, J36, J85, J86, P23, U04
Acute bacterial sepsis and severe infections	L04,L08, M00-M01, M60, M86, N10, N30, N34, N41, N49, N61, P36, P38
Meningitis/encephalitis	A39, A81-A89, G00-G09
<b>Other communicable diseases</b>	
Diarrhoeal diseases	A00-A09
Tuberculosis	A15-A19, B90, J65
Tetanus	A33-A35
Poliomyelitis	A80, B91
Measles	B01, B05
HIV/AIDS	B20-B24, R75
Malaria	B50-B54
Other infectious and parasitic diseases	B99, K02, K04, K05, K61, N70-N74, P35, P37, P39, U00, Y95
Fever of unknown origin	R50
<b>Perinatal conditions</b>	
Prematurity & low birth weight	P01, P05, P07, P22, P25-P28, P52, P61, P77
Birth asphyxia & birth trauma	P00, P02, P03. P10-P15, P20, P21, P24, P29, P50, P90, P91
<b>Other conditions</b>	
Nutritional diseases	D50-D53, E00-E02, E40-E46, E50-E56, E59-E61, E63, E64, X53-X54
Congenital anomalies	Q00-Q07, Q10-18, Q20-Q28, Q30-Q45, Q50-56, Q60-Q87, Q89-Q93, Q95, Q96-Q99
<b>Non Communicable diseases</b>	
<b>Other noncommunicable diseases</b>	
Other noncommunicable diseases	C00-C97, D01-D48, D55-D89, E03-E35, E65-E90, F00-F99, G10-G99, H00-H06, H11-H59, H61-H62, H69, H72-H95, I00-I28, I31, I34-I38, I42-I99, J30, J31, J33-J35, J37-J47, J60, J64, J66-J70, J80-J82, J84, J90-J99, K00-K01,K03, K06-K60, K62-K63, K70-K80, K82-K93, L05, L10-L99, M02-M54, M61-M85, M87-M99, N00-N08, N11-N29, N31-N33, N35-N40, N42-N48, N50-N51, N60, N62-N64, N75-N99, P04, P08, P51,P53-P60, P70-P72, P74-P76, P78, P80-P83, P92-P94, R00, R01, R03-R05, R06, R11-R23, R26, R27, R29-R49, R55-R56, R59, R63,R70-R74, R76-R77, R80-R82, R84-R87, R90-R91
<b>Injuries</b>	
<b>Injuries</b>	
Injuries	S00-S99, T00-T98, V01-V99, W00-W99, X00-X52, X57-X99, Y00-Y91, Y97-Y98.
<b>Ill-defined conditions</b>	
<b>Ill defined or cause unknown</b>	
Ill defined or cause unknown	P96, R02, R07, R09, R25, R51-R54, R57-R58, R60-R62, R64, R68, R69, R78, R79, R83, R89, R92-R99

---